



PEHA[®] Luxury

ELECTRICAL EQUIPMENT OF GERMANY



PEHA[®]

Electrical equipment of Germany in Vietnam

KHANG LONG PEHA ELECTRICAL EQUIPMENT COMPANY LIMITED

CATALOGUE PRICE LIST

Switches, sockets, lighting - Control and building automation



Aptomat PEHA Germany

Đèn LED 9W PEHA - CHIP LED OSRAM - GERMANY

Tradition und Innovation seit über 90 Jahren.

Seit über 90 Jahren prägt Honeywell PEHA die moderne Elektroinstallation deutlich mit. Honeywell PEHA steht für ein überzeugendes, hochwertiges Vollsortiment, das Profis und Anwendern alles bieten kann. Hierbei stehen die Themen Energieeinsparung, Komfort und Sicherheitsgewinn bei Zweckbauten und beim Privathausbau im Vordergrund. Hohe Flexibilität, einfache Installation und leichte Inbetriebnahme kennzeichnen dabei die Installationslösungen von Honeywell PEHA. Ob verdrahtet oder mit Funk – mit Honeywell PEHA verzichtet man weder auf Komfort noch auf attraktives Design.

Truyền thống và đổi mới trong hơn 90 năm.

Trong hơn 90 năm, Honeywell PEHA đã đóng góp đáng kể vào việc lắp đặt điện hiện đại. Honeywell PEHA là viết tắt của một dải đầy đủ chất lượng cao, thuyết phục có thể cung cấp mọi thứ cho các chuyên gia và người dùng. Trọng tâm ở đây là các chủ đề tiết kiệm năng lượng, tiện nghi và tăng cường an toàn trong các tòa nhà chức năng và trong xây dựng nhà riêng. Các giải pháp lắp đặt của Honeywell PEHA được đặc trưng bởi tính linh hoạt cao, cài đặt đơn giản và dễ vận hành. Dù có dây hay có đài - với Honeywell PEHA, bạn không bỏ qua sự thoải mái hay thiết kế hấp dẫn. Chúng tôi đại diện trên toàn thế giới.



MODEL	DIMENSION	CUT OUT (MM)	POWER	LUMINOUS	PACKING (MM)
PH - LT357A	Φ 120 x 30mm	Φ 75	7W	580lm	50 pcs/CTN
PH - LT358A	Φ 120 x 30mm	Φ 90	8W	840lm	50 pcs/CTN
PH - LT359A	Φ 120 x 30mm	Φ 90	9W	900lm	50 pcs/CTN

Applications:

Hotel, club, supermarket, store, office, residential, commercial and etc.

Product Features:

1. Famous German brand OSRAM LED chip, high luminous efficiency, CRI>90, Lower heat diffusion to provide an even, glare-free lighting layout.
2. Patented appearance design. High quality aluminum heatsink to ensure good heat dissipation and beautiful appearance.
3. High quality imported diffuser to achieve uniform light without glare.
4. High quality isolated current driver is fixed on the housing to ensure effective installation.
5. Size ranges from 7.5 inches, power ranges from 7W - 10W.
6. Lifespan up to 65,000 hours, 5 year warranty.



HÌNH ẢNH	MODEL	CÔNG SUẤT	THÔNG SỐ KỸ THUẬT	GIÁ
	PEHADPL109 Spotlight	10W	Quang thông: 120lm/w- Ánh sáng: 3000K- Góc chiếu: 36°- CRI>92 - SDCM<3 URG <19- Kích thước: D85*H83mm / Lỗ khoét: 75, choá đen- Chip & Driver: Philips - IP44- Tuổi thọ: 50.000H	480.000 VND
	PH - LT359A	9W	3000K - 4000K - 5700K - 6000K Input: AC 220V - 240V / 50 - 60Hz Material: Aluminum Color: white powder coating	299.000 VND
	PH - LT360A	12W	3000K - 4000K - 5700K - 6000K Input: AC 220V - 240V / 50 - 60Hz Material: Aluminum Color: white powder coating	360.000 VND
	PH - LT391B	9W	3000K - 4000K - 5700K - 6000K Input: AC 220V - 240V / 50 - 60Hz Material: Aluminum Color: White powder coating 3 color light	460.000 VND
	PH - LT588B	10W	3000K - 4000K - 5700K - 6000K Input: AC 220V - 240V / 50 - 60Hz Material: Monolithic copper Color: 24k gold plated	1.510.000 VND

Colors



PEHA - APTOMAT ELECTRICAL CABINET


	<p>PH-0590 - 8 Wall mounted distribution box IP30, with plastic door, connection strip and accessories 1 row of 8 poles Box: 1 pcs - Carton: 10 pcs size 222x210x100mm Beautiful 3D painting</p>	<p>1.350.200 VND</p>
	<p>PH-0591-12 Wall mounted distribution box IP30, with plastic door, connection strip and accessories 1 row of 12 poles Box: 1 pcs - Carton: 10 pcs size 294x210x100mm Beautiful 3D painting</p>	<p>1.456.200 VND</p>
	<p>PH-0592-16 Wall mounted distribution box IP30, with plastic door, connection strip and accessories 1 row of 16 poles Box: 1 pcs - Carton: 10 pcs size 366x210x100mm Beautiful 3D painting</p>	<p>1.565.600 VND</p>
	<p>PH-0593-20 Wall mounted distribution box IP30, with plastic door, connection strip and accessories 1 row of 20 poles Box: 1 pcs - Carton: 10 pcs size 438x210x100mm Beautiful 3D painting</p>	<p>2.150.500 VND</p>
	<p>PH-0594-24 Wall mounted distribution box IP30, with plastic door, connection strip and accessories 1 row of 24 poles Box: 1 pcs - Carton: 10 pcs size 294x335x100mm Beautiful 3D painting</p>	<p>2.750.000 VND</p>



APTOMAT - PEHA - GERMANY

APTOMAT 1 PHA CHỐNG QUÁ TẢI & NGẮT MẠCH				APTOMAT 2 PHA - CHỐNG QUÁ TẢI & NGẮT MẠCH				
MCB	1 pole - 6KA - PHDLS8	Price/ giá		MCB	2 pole - 6KA - PHDLS8	Price/ giá		
	09916022	10A	180,900		9916084	20A	465,100	
	09916023	16A	180,900		9916085	25A	465,100	
	09916024	20A	180,900		9916086	32A	465,100	
	09916025	25A	180,900		9916087	40A	545,500	
	09916026	32A	193,900		9916088	50A	625,000	
	09916027	40A	221,500		9916089	63A	625,000	
	09916028	50A	310,700		9916090	80A	1,565,000	
	09916029	63A	310,700					
APTOMAT 3 PHA - CHỐNG QUÁ TẢI VÀ NGẮT MẠCH				APTOMAT - CHỐNG GIẬT				
MCB	3 pole - 6KA - PHDLS8	Price/ giá		RCCB	2 pole - 10KA - PHLS8A	Price/ giá		
	9916115	25A	875,300		9124020	25A	1,335,400	
	9916116	32A	935,600		9125020	32A	1,455,100	
	9916117	40A	1,150,100		9134020	40A	1,523,000	
	9916118	50A	1,250,400		9144020	63A	1,987,500	
	9916119	63A	1,250,400					
	9916120	80A	2,250,000					
	9916121	100A	2,656,600					
CHỐNG QUÁ TẢI VÀ CHỐNG GIẬT				CHỐNG SÉT LAN TRUYỀN				
RCBO	2 pole - 6KA - PHLS8B	Price/ giá		SPD	40KA - PH10 - SPD	Price/ giá		
	9932102	10A	1,875,000		1 pole	40A	1,650,000	
	9932144	16A	1,875,000		2 pole	40A	2,578,200	
	9932105	20A	1,875,000		3 pole	40A	2,800,000	
	9932106	25A	2,050,100		4 pole	40A	4,120,000	
	9932107	32A	2,050,100					
	9932108	40A	2,050,100					
	9932109	50A	2,050,100					
	9932110	63A	2,578,200					
CHỐNG QUÁ TẢI VÀ NGẮT MẠCH								
MCCB	3 pole - 25KA - 410/420V - PHL9	Price/ giá		MCCB	3 pole - 25KA - 410/420V	Price/ giá		
	PH125	25A	2,464,200		PH125	80A	2,638,000	
	PH125	32A	2,464,200		PH125	100A	2,638,000	
	PH125	40A	2,464,200		PH125	125A	2,638,000	
	PH125	50A	2,464,200		PH200	200A	4,936,000	
	PH125	63A	2,638,000		PH250	250A	4,936,000	

Aptomat - Audio Âm Thanh



APTOMAT - DOEPKE - GERMANY

APTOMAT 1 PHA CHỐNG QUÁ TẢI & NGẮT MẠCH				APTOMAT 2 PHA - CHỐNG QUÁ TẢI & NGẮT MẠCH				
MCB	1 pole - 6KA/ 10KA - DLS 6i	Price/ giá		MCB	2 pole - 10KA/ 6KA - DLS 6i	Price/ giá		
	9916201	10A	253,000		9916264	20A	783,000	
	9914203	16A	253,000		9916265	25A	783,000	
	9914204	20A	253,000		9916266	32A	783,000	
	9914205	25A	253,000		9916267	40A	1,050,400	
	9914206	32A	255,400		9916268	50A	1,050,400	
	9916207	40A	375,000		9916269	63A	1,100,500	
	9916208	50A	557,000		9916270	80A	5,697,000	
	9916209	63A	579,230					
APTOMAT 3 PHA - CHỐNG QUÁ TẢI VÀ NGẮT MẠCH				APTOMAT - CHỐNG GIẬT				
MCB	3 pole - 6KA/ 10KA - DLS 6i	Price/ giá		RCCB	2 pole - 10KA - 30mA - DLS 6i Anti-shock	Price/ giá		
	9916295	25A	1,080,000		9124602	25A	1,930,000	
	9916296	32A	1,080,000		9134602	40A	1,930,000	
	9916297	40A	1,567,000		9144602	63A	2,950,400	
	9916298	50A	1,567,000					
	9916299	63A	2,750,000					
	9916300	100A	7,845,000					
CHỐNG QUÁ TẢI VÀ CHỐNG GIẬT				RCCB - AUDIO - APTOMAT ÂM THANH				
RCBO	1P+N AC, 6KA/ 10KA-30mA	Price/ giá		RCCB	DFS 2 Audio	Price/ giá		
	9933123	10A	2,750,000		9124046	25A	25,320,000	
	9933124	16A	2,835,000		9134046	40A	35,564,000	
	9933125	20A	2,876,000		9144846	63A	50,420,000	
	9933126	25A	2,890,000					
	9933127	32A	3,210,000					
	9933128	40A	3,875,000					

PEHA[®] Luxury
SWITCH & SOCKET PLASTIC GOLD + GRAY



Color

C5 Series

C5 Series



C5-GPL01A 88.000 VND

16A/250V
1 gang 1 way

C5-GPL01B 99.000 VND

16A/250V
1 gang 2 way



C5-GPLM01A 126.500 VND

16A/250V
2 gang 1 way

C5-GPLM01B 148.500 VND

16A/250V
1 gang 2 way



C5-GPLS03A 165.500 VND

16A/250V
3 gang 1 way

C5-GPLS03B 198.000 VND

16A/250V
3 gang 2 way



C5-GPLSS04A 203.500 VND

16A/250V
4 gang 1 way

C5-GPLSS04B 236.500 VND

16A/250V
4 gang 2 way



C5-GPL3CMA 187.000 VND

16A/250V
1 gang 1 way switch 3 pole multi socket

C5-GPL3CMB 198.000 VND

16A/250V
1 gang 2 way switch 3 pole multi socket



C5-GPL3CM 247.500 VND

16A/250V
2 x 3 Pole multi Function Socket



C5-GPLDB20ASA 245.500 VND

16A/250V
1 gang 1 way + indicolor + 20A switch

C5-GPLDB20ASB 256.500 VND

16A/250V
1 gang 2 way + indicolor + 20A switch



C5-GPLTVPC 220.000 VND

Tivi + computer socket



C5-GPLOC2CSS/M3L 280.500 VND

16A/250V
3 x 2 pole double socket



C5-GPLOC3CL/M3L 209.000 VND

16A/250V
6 pole double socket

C5 Series



C5-L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

C5-L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



C5-M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

C5-M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



C5-SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

C5-SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton



C5-MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

C5-MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



C5-SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



C5-CCL 71.500 VND

16A/250V
Door bell switch size M
20 pcs/box - 10 boxes/carton



C5-DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



C5-CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



C5-OC3CM 99.000 VND


16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



C5-OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

C5 Series



C5-OC3CL 159.500 VND

16A/250V
2 x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



C5-USB 385.000 VND

Electric: 2.1A
2 pole usb Type C size S
50 pcs/box - 10 boxes/carton



C5-TVM 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



C5-TVSS 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



C5-TELM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



C5-TELSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



C5-PCM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



C5-PCSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



C5-DKQM 258.500 VND

500W/220V
Only for filament lamp
Dimmer control

40 pcs/box - 10 boxes/carton



C5-DKDM 258.500 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

C5 Series



C5-GPL01A 88.000 VND

16A/250V
1 gang 1 way

C5-GPL01B 99.000 VND

16A/250V
1 gang 2 way



C5-GPLM01A 126.500 VND

16A/250V
2 gang 1 way

C5-GPLM01B 148.500 VND

16A/250V
1 gang 2 way



C5-GPLS03A 165.500 VND

16A/250V
3 gang 1 way

C5-GPLS03B 198.000 VND

16A/250V
3 gang 2 way



C5-GPLSS04A 203.500 VND

16A/250V
4 gang 1 way

C5-GPLSS04B 236.500 VND

16A/250V
4 gang 2 way



C5-GPL3CMA 187.000 VND

16A/250V
1 gang 1 way switch 3 pole multi socket

C5-GPL3CMB 198.000 VND

16A/250V
1 gang 2 way switch 3 pole multi socket



C5-GPL3CM 247.500 VND

16A/250V
2 x 3 Pole multi Function Socket



C5-GPLDB20ASA 245.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

C5-GPLDB20ASB 256.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



C5-GPLTVPC 220.000 VND

Tivi + computer socket



C5-GPLOC2CSS/M3L 280.500 VND

16A/250V
3 x 2 pole double socket



C5-GPLOC3CL/M3L 209.000 VND

16A/250V
6 pole double socket

C5 Series



C5-L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

C5-L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



C5-M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

C5-M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



C5-SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

C5-SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton



C5-MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

C5-MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton

C5-OSS01C 110.000 VND
1 gang multi control size S



C5-SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



C5-CCL 71.500 VND

16A/250V
Door bell switch size M
20 pcs/box - 10 boxes/carton



C5-DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



C5-CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



C5-OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



C5-OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

C5 Series



C5-OC3CL 159.500 VND

16A/250V
2 x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



C5-USB 385.000 VND

Electric: 2.1A
2 pole usb Type C size S
50 pcs/box - 10 boxes/carton



C5-TVM 89.100 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



C5-TVSS 89.100 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



C5-TELM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



C5-TELSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



C5-PCM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



C5-PCSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



C5-DKQM 258.500 VND

500W/220V
Only for filament lamp
Dimmer control
40 pcs/box - 10 boxes/carton



C5-DKDM 258.500 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton


C5 Series



C5-M1SS 49.500 VND
 Single panel with bracket
 Size S - Plastic-Gray
 20 pcs/box - 10 boxes/carton
 Size: 120mm x 72mm



C5-001S 60.500 VND
 Block face panel with bracket
 Plastic-Gray
 16 pcs/box - 10 boxes/carton
 Size: 120mm x 72mm



C5-M2SS 49.500 VND
 Double panel with bracket
 Size 2S - Plastic-Gray
 20 pcs/box - 10 boxes/carton
 Size: 120mm x 72mm



C5-002S 60.500 VND
 Single panel with bracket
 Plastic-Gray
 20 pcs/box - 10 boxes/carton
 Size: 120mm x 72mm



C5-M3L 49.500 VND
 Triple panel with bracket
 Size L - Plastic-Gray
 20 pcs/box - 10 boxes/carton
 Size: 120mm x 72mm



C5-003L 60.500 VND
 Double panel with bracket
 Plastic-Gray
 20 pcs/box - 10 boxes/carton
 Size: 120mm x 72mm



C5-M1SS 49.500 VND
 Single panel with bracket
 Size: S - Gold fireproof plastic
 20 pcs/Box - 10 Boxes/Carton
 Size: 120mm x 72mm



C5-001S 60.500 VND
 Block face panel with bracket
 Gold fire retardant plastic
 16 pcs/Box - 10 Boxes/Carton
 Size: 120mm x 72mm



C5-M2SS 49.500 VND
 Single panel with bracket
 Size: SS - Gold fireproof plastic
 20 pcs/Box - 10 Boxes/Carton
 Size: 120mm x 72mm



C5-002S 60.500 VND
 Block face panel with bracket
 Gold fire retardant plastic
 20 pcs/Box - 10 Boxes/Carton
 Size: 120mm x 72mm



C5-M3L 49.500 VND
 Single panel with bracket
 Size: L - Gold fireproof plastic
 20 pcs/Box - 10 Boxes/Carton
 Size: 120mm x 72mm



C5-003L 60.500 VND
 Block face panel with bracket
 Gold fire retardant plastic
 20 pcs/Box - 10 Boxes/Carton
 Size: 120mm x 72mm

PEHA[®] Luxury
SWITCH & SOCKET PLASTIC PEARL WHITE WHITE



C1 Series

C1 Series



C1.01AM1M 73.000 VND

16A/250V
1 gang 1 way switch

C1.01BM1M 83.000 VND

16A/250V
1 gang 2 way switch



C1.02AM3L 108.000 VND

16A/250V
2 gang 1 way switch

C1.02BM3L 128.000 VND

16A/250V
2 gang 2 way switch



C1.03AM3L 143.000 VND

16A/250V
3 gang 1 way switch

C1.03BM3L 173.000 VND

16A/250V
3 gang 2 way switch



C1.04AM3L 168.000 VND

16A/250V
4 gang 1 way switch

C1.04BM3L 198.000 VND

16A/250V
4 gang 2 way switch



C1.OC3M/M01A/M3L 158.000 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

C1.OC3M/M01B/M3L 168.000 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



C1.02OC3CM/M3L 208.000 VND

16A/250V
2x3 pole multi function socket



C1.OSS01A/DBS/20ASA 258.000 VND

16A/250V
1 gang 1 way + indicator + 20A switch

C1.OSS01B/DBS/20ASB 268.000 VND

16A/250V
1 gang 2 way + indicator + 20A switch



C1.TVM/PCM/M3L 204.000 VND

Tivi + computer socket



C1-GPLOC2CSS/M3L 233.500 VND

16A/250V
3 x 2 pole double socket



C1-GPLOC3CL/M3L 209.000 VND

16A/250V
6 pole double socket

C1 Series



C1.0L01A 35.000 VND

16A/250V
1 gang 1 way switch size L

C1.L01B 45.000 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



C1.0M01A 35.000 VND

16A/250V
1 gang 1 way switch size M

C1.0M01B 45.000 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



C1.0SS01A 35.000 VND

16A/250V
1 gang 1 way switch size S

C1.0SS01B 45.000 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton



C1.0MSS01A 65.000 VND

16A/250V
2 gang 1 way switch size M

C1.0MSS01B 80.000 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton

C1-0SS01C 110.000 VND

1 gang multi control size S



C1.0SS20A 120.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



C1.0CCL 65.000 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



C1.0DBS 65.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



C1.0CONTROL 130.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



C1.0OC3CM 85.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



C1.0OC2CSS 65.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

C1 Series



C1.0OC3CL 140.000 VND

16A/250V
6 pole multi function socket size L
20 pcs/box - 10 boxes/carton



C1.0USB 350.000 VND

electric: 2.1A
USB Type C socket size S
50 pcs/box - 10 boxes/carton



C1.0TVM 81.000 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size M
20 pcs/box - 10 boxes/carton



C1.0TVSS 81.000 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



C1.0TELM 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
20 pcs/box - 10 boxes/carton



C1.0TELSS 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



C1.0PCM 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
20 pcs/box - 10 boxes/carton



C1.0PCSS 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



C1.0DKDM 235.000 VND

500W/220V
Only for filament lamp
Dimmer control
20 pcs/box - 10 boxes/carton



C1.0DKQM 235.000 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

C1 Series




C1.0M1SS 38.000 VND

Single panel with bracket
Size S - Plastic-Pearl white
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



C1.0001S 48.000 VND

Block face panel with bracket
Plastic-Pearl white
16 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



C1.0M2SS 38.000 VND

Double panel with bracket
Size 2S - Plastic-Pearl white
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



C1.0002S 48.000 VND

Single panel with bracket
Plastic-Pearl white
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



C1.0M3L 38.000 VND



Triple panel with bracket
Size L - Plastic-Pearl white
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



C1.0003L 48.000 VND

Double panel with bracket
Plastic-Pearl white
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm

PEHA[®] Luxury
SWITCH & SOCKET WHITE + GOLD



V8 Series

V8 Series



V8.01AM1M 101.000 VND

16A/250V
1 gang 1 way switch

V8.01BM1M 111.000 VND

16A/250V
1 gang 2 way switch



V8.02AM3L 136.000 VND

16A/250V
2 gang 1 way switch

V8.02BM3L 156.000 VND

16A/250V
2 gang 2 way switch



V8.03AM3L 171.000 VND

16A/250V
3 gang 1 way switch

V8.03BM3L 201.000 VND

16A/250V
3 gang 2 way switch



V8.04AM3L 196.000 VND

16A/250V
4 gang 1 way switch

V8.04BM3L 226.000 VND

16A/250V
4 gang 2 way switch



V8.OC3M/M01A/M3L 186.000 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

V8.OC3M/M01B/M3L 196.000 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



V8.02OC3CM/M3L 236.000 VND

16A/250V
2x3 pole multi function socket



V8.OSS01A/DBS/20ASA 286.000 VND

16A/250V
1 gang 1 way + indicator + 20A switch

V8.OSS01B/DBS/20ASB 296.000 VND

16A/250V
1 gang 2 way + indicator + 20A switch



V8.TVM/PCM/M3L 232.000 VND

Tivi + computer socket



V8.OC2CSS/M3L 261.000 VND

16A/250V
3-2 pole double socket



V8.OC3CL/M3L 206.000 VND

16A/250V
6 pole double socket

V8 Series



V8.0L01A 35.000 VND

16A/250V
1 gang 1 way switch size L

V8.L01B 45.000 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



V8.0M01A 35.000 VND

16A/250V
1 gang 1 way switch size M

V8.0M01B 45.000 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



V8.0SS01A 35.000 VND

16A/250V
1 gang 1 way switch size S

V8.0SS01B 45.000 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

V8-0SS01C 110.000 VND
1 gang multi control size S



V8.0MSS01A 65.000 VND

16A/250V
2 gang 1 way switch size M

V8.0MSS01B 80.000 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



V8.0SS20A 120.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



V8.0CCL 65.000 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton




V8.0DBS 65.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



V8.0CONTROL 130.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



V8.0OC3CM 85.000 VND


16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



V8.0OC2CSS 65.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

V8 Series



V8.0OC3CL 140.000 VND

16A/250V
6 pole multi function socket size L
20 pcs/box - 10 boxes/carton



V8.0USB 350.000 VND

electric: 2.1A
USB Type C socket size S
50 pcs/box - 10 boxes/carton



V8.0TVM 81.000 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



V8.0TVSS 81.000 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



V8.0TELM 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



V8.0TELSS 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



V8.0PCM 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



V8.0PCSS 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



V8.0DKDM 235.000 VND

500W/220V
Only for filament lamp
Dimmer control
40 pcs/box - 10 boxes/carton



V8.0DKQM 235.000 VND


Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

V8 Series**V8.0M1SS 66.000** VND

Single panel with bracket
Size S - Plastic - White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm

**V8.0001S 77.000** VND

Block face panel with bracket
Plastic - White
16 pcs/box - 10 boxes/carton
Size: 117mm x 73mm

**V8.0M2SS 66.000** VND

Double panel with bracket
Size SS - Plastic - White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm

**V8.0002S 77.000** VND

Single panel with bracket
Plastic - White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm

**V8.0M3L 66.000** VND

Triple panel with bracket
Size L - Plastic - White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm

**V8.0003L 77.000** VND

Double panel with bracket
Plastic - White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm

PEHA[®] Luxury
SWITCH & SOCKET STEEL



Color

V9 Series

V9 Series



V9.01AM1M 113.500 VND

16A/250V
1 gang 1 way switch

V9.01BM1M 124.500 VND

16A/250V
1 gang 2 way switch



V9.02AM3L 152.000 VND

16A/250V
2 gang 1 way switch

V9.02BM3L 174.000 VND

16A/250V
2 gang 2 way switch



V9.03AM3L 190.500 VND

16A/250V
3 gang 1 way switch

V9.03BM3L 223.500 VND

16A/250V
3 gang 2 way switch



V9.04AM3L 229.000 VND

16A/250V
4 gang 1 way switch

V9.04BM3L 262.000 VND

16A/250V
4 gang 2 way switch



V9.OC3M/M01A/M3L 212.500 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

V9.OC3M/M01B/M3L 223.500 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



V9.02OC3CM/M3L 273.000 VND

16A/250V
2 x3 pole multi function socket



V9.OSS01A/DBS/20ASA 320.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

V9.OSS01B/DBS/20ASB 331.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



V9.TVS/PCS/M3L 257.600 VND

Tivi + computer socket



V9-STOC2CSS/M3L 306.000 VND

16A/250V
3-2 pole double socket



V9-STOC3CL/M3L 234.500 VND

16A/250V
6 pole double socket

V9 Series



V9.0L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

V9.L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



V9.0M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

V9.0M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



V9.0SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

V9.0SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

V9-0SS01C 110.000 VND

1 gang multi control size S



V9.0MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

V9.0MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



V9.0SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



V9.0CCL 71.500 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



V9.0DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



V9.0CONTROL 148.500 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



V9.0OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



V9.0OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

V9 Series



V9.0OC3CL 159.500 VND
 16A/250V
 2x3 pole multi function socket size L
 20 pcs/box - 10 boxes/carton



V9.0USB 385.000 VND
 electric: 2.1A
 USB - Type C socket size S
 50 pcs/box - 10 boxes/carton



V9.0TVM 89.100 VND
 Impedance: 75 Ω
 Insertion loss: VHF 3.5 dB UHF < 5dB
 Flatness in Band ±1.0dB
 Tivi socket size M
 40 pcs/box - 10 boxes/carton



V9.0TVSS 89.100 VND
 Impedance: 75 Ω
 Insertion loss: VHF 3.5 dB UHF < 5dB
 Flatness in Band ±1.0dB
 Tivi socket size S
 50 pcs/box - 10 boxes/carton



V9.0TELM 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Telephone socket size M
 40 pcs/box - 10 boxes/carton



V9.0TELSS 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Telephone socket size S
 50 pcs/box - 10 boxes/carton



V9.0PCM 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Connector mode T56BA, T568B
 Computer socket size M
 40 pcs/box - 10 boxes/carton



V9.0PCSS 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Connector mode T56BA, T568B
 Computer socket size S
 50 pcs/box - 10 boxes/carton



V9.0DKQM 258.500 VND
 500W/220V
 Only for filament lamp
 Dimmer control
 40 pcs/box - 10 boxes/carton




V9.0DKQSS 258.500 VND
 Working voltage: 220V - 50Hz
 Load power: 25 - 300W
 Load can be connected: Ceiling fan
 Speed control
 40 pcs/box - 10 boxes/carton

V9 Series



V9.0M1SS 75.000 VND

Single panel with bracket
Size S - Steel-Gold/Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm




V9.001S 85.000 VND

Block face panel with bracket
Steel-Gold/Gray
16 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



V9.0M2SS 75.000 VND

Double panel with bracket
Size 2S - Steel-Gold/Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



V9.002S 85.000 VND

Single panel with bracket
Steel-Gold/Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



V9.0M3L 75.000 VND


Triple panel with bracket
Size L - Steel-Gold/Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



V9.003L 85.000 VND

Double panel with bracket
Steel-Gold/Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm

PEHA[®] Luxury
SWITCH & SOCKET ACRYLIC GOLD & GRAY



V10 series

V10 series



V10-ACRL01A 143.500 VND

16A/250V
1 gang 1 way

V10-ACRL01B 154.500 VND

16A/250V
1 gang 2 way



V10-ACRM01A 182.000 VND

16A/250V
2 gang 1 way

V10-ACRM01B 204.000 VND

16A/250V
2 gang 2 way



V10-ACRS03A 220.500 VND

16A/250V
3 gang 1 way

V10-ACRS03B 253.500 VND

16A/250V
3 gang 2 way



V10-ACRSS04A 259.000 VND

16A/250V
4 gang 1 way

V10-ACRSS04B 292.000 VND

16A/250V
4 gang 2 way



V10-ACR3CMA 242.500 VND

16A/250V
1 gang 1 way switch 3 pole multi socket

V10-ACR3CMB 253.500 VND

16A/250V
1 gang 2 way switch 3 pole multi socket



V10-ACR3CM 303.000 VND

16A/250V
2 x 3 Pole multi Function Socket



V10-ACRDB20ASA 350.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

V10-ACRDB20ASB 361.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



V10-ACRTVPC 287.600 VND

Tivi + computer socket



V10-ACOC2CSS/M3L 336.000 VND

16A/250V
3-2 pole double socket



V10-ACOC3CL/M3L 264.500 VND

16A/250V
6 pole double socket

V10 series



V10.0L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

V10.L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



V10.0M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

V10.0M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



V10.0SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

V10.0SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

V10.0SS01C 110.000 VND

1 gang multi control size S



V10.0MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

V10.0MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



V10.0SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



V10.0CCL 71.500 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



V10.0DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



V10.0CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



V10.0OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



V10.0OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

V10 series



V10.0OC3CL 159.500 VND

16A/250V
2x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



V10.0USB 385.000 VND

electric: 2.1A
USB - Type C socket size S
50 pcs/box - 10 boxes/carton



V10.0TVM 89.100 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



V10.0TVSS 89.100 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



V10.0TELM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



V10.0TELSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



V10.0PCM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



V10.0PCSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



V10.0DKQM 258.500 VND

500W/220V
Only for filament lamp
Dimmer control
40 pcs/box - 10 boxes/carton



V10.0DKQSS 258.500 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

V10 series



V10-ACRL01A 148.500 VND

16A/250V
1 gang 1 way

V10-ACRL01B 159.500 VND

16A/250V
1 gang 2 way



V10-ACRM01A 187.000 VND

16A/250V
2 gang 1 way

V10-ACRM01B 209.000 VND

16A/250V
2 gang 2 way



V10-ACRS03A 225.500 VND

16A/250V
3 gang 1 way

V10-ACRS03B 258.500 VND

16A/250V
3 gang 2 way



V10-ACRSS04A 264.000 VND

16A/250V
4 gang 1 way

V10-ACRSS04B 297.000 VND

16A/250V
4 gang 2 way



V10-ACR3CMA 247.500 VND

16A/250V
1 gang 1 way switch 3 pole multi socket

V10-ACR3CMB 258.500 VND

16A/250V
1 gang 2 way switch 3 pole multi socket



V10-ACR3CM 308.000 VND

16A/250V
2 x 3 Pole multi Function Socket



V10-ACRDB20ASA 355.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

V10-ACRDB20ASB 366.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch




V10-ACRTVPC 292.600 VND

Tivi + computer socket



V10-ACOC2CSS/M3L 336.000 VND

16A/250V
3-2 pole double socket



V10-ACOC3CL/M3L 264.500 VND

16A/250V
6 pole double socket

V10 series



V10.0L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

V10.L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



V10.0M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

V10.0M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



V10.0SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

V10.0SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton



V10.0MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

V10.0MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton

V10-0SS01C 110.000 VND

1 gang multi control size S



V10.0SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



V10.0CCL 71.500 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



V10.0DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



V10.0CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



V10.0OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



V10.0OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

V10 series



V10.0OC3CL 159.500 VND
 16A/250V
 2x3 pole multi function socket size L
 20 pcs/box - 10 boxes/carton



V10.0USB 385.000 VND
 electric: 2.1A
 USB - Type C socket size S
 50 pcs/box - 10 boxes/carton



V10.0TVM 89.100 VND
 Impedane: 75 Ω
 Insertion loss: VHF 3.5 dB UHF < 5dB
 Flatness in Band ±1.0dB
 Tivi socket size M
 40 pcs/box - 10 boxes/carton



V10.0TVSS 89.100 VND
 Impedane: 75 Ω
 Insertion loss: VHF 3.5 dB UHF < 5dB
 Flatness in Band ±1.0dB
 Tivi socket size S
 50 pcs/box - 10 boxes/carton



V10.0TELM 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Telephone socket size M
 40 pcs/box - 10 boxes/carton



V10.0TELSS 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Telephone socket size S
 50 pcs/box - 10 boxes/carton



V10.0PCM 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Connecton mode T56BA, T568B
 Computer socket size M
 40 pcs/box - 10 boxes/carton



V10.0PCSS 93.500 VND
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Connecton mode T56BA, T568B
 Computer socket size S
 50 pcs/box - 10 boxes/carton



V10.0DKQM 258.500 VND
 500W/220V
 Only for filament lamp
 Dimmer control
 40 pcs/box - 10 boxes/carton



V10.0DKQSS 258.500 VND
 Working voltage: 220V - 50Hz
 Load power: 25 - 300W
 Load can be connected: Ceiling fan
 Speed control
 40 pcs/box - 10 boxes/carton

V10 series



V10-M1SS 105.000 VND

Single panel with bracket
Size: S - Acrylic gold
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm




V10-M1SS 105.000 VND

Single panel with bracket
Size: S - Acrylic gray
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-M2SS 105.000 VND

Single panel with bracket
Size: SS - Acrylic gold
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-M2SS 105.000 VND

Single panel with bracket
Size: SS - Acrylic gray
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-M3L 105.000 VND

Single panel with bracket
Size: L - Acrylic gold
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-M3L 105.000 VND

Single panel with bracket
Size: L - Acrylic gray
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-001S 115.000 VND

Single panel with bracket
Size: SS - Acrylic gold
16 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-001S 115.000 VND

Single panel with bracket
Size: SS - Acrylic gray
16 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-002S 115.000 VND

Single panel with bracket
Size: S - Acrylic gold
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-002S 115.000 VND

Single panel with bracket
Size: S - Acrylic gray
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-003L 115.000 VND

Single panel with bracket
Size: L - Acrylic gold
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm



V10-003L 115.000 VND

Single panel with bracket
Size: L - Acrylic gray
20 pcs/Box - 10 Boxes/Carton
Size: 120mm x 72mm

PEHA[®] Luxury
SWITCH & SOCKET NOVA WOOD



Nova woodSeries

Nova wood Series



NOVA-GML01A 137.500 VND

16A/250V
1 gang 1 way switch

NOVA-GML01B 148.500 VND

16A/250V
1 gang 2 way switch



NOVA-GM02A 176.000 VND

16A/250V
2 gang 1 way switch

NOVA-GM02B 198.000 VND

16A/250V
2 gang 2 way switch



NOVA-GS03A 214.500 VND

16A/250V
3 gang 1 way switch

NOVA-GS03B 247.500 VND

16A/250V
3 gang 2 way switch



NOVA-GSS04A 253.000 VND

16A/250V
4 gang 1 way switch

NOVA-GSS04B 286.000 VND

16A/250V
4 gang 2 way switch



NOVA-G3CMA 236.500 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

NOVA-G3CMB 247.500 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



NOVA-G3CM 297.000 VND

16A/250V
2 x3 pole multi function socket



NOVA-G2DB20ASA 344.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

NOVA-G2DB20ASB 355.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



NOVA-GTVPC 281.600 VND

Tivi + computer socket



NOVA-GCOC2CSS/M3L 330.000 VND

16A/250V
3-2 pole double socket



NOVA-GCOC3CL/M3L 258.500 VND

16A/250V
6 pole double socket

Nova wood Series



NA.0L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

NA.L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



NA.0M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

NA.0M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



NA.0SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

NA.0SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

NA-0SS01C 110.000 VND

1 gang multi control size S



NA.0MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

NA.0MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



NA.0SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



NA.0CCL 71.500 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



NA.0DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



NA.0CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



NA.0OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



NA.0OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

Nova wood^{Series}



NA.0OC3CL 159.500 ^{VND}
 16A/250V
 2x3 pole multi function socket size L
 20 pcs/box - 10 boxes/carton



NA.0USB 385.000 ^{VND}
 electric: 2.1A
 USB - Type C socket size S
 50 pcs/box - 10 boxes/carton



NA.0TVM 89.100 ^{VND}
 Impedance: 75 Ω
 Insertion loss: VHF 3.5 dB UHF < 5dB
 Flatness in Band ±1.0dB
 Tivi socket size M
 40 pcs/box - 10 boxes/carton



NA.0TVSS 89.100 ^{VND}
 Impedance: 75 Ω
 Insertion loss: VHF 3.5 dB UHF < 5dB
 Flatness in Band ±1.0dB
 Tivi socket size S
 50 pcs/box - 10 boxes/carton



NA.0TELM 93.500 ^{VND}
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Telephone socket size M
 40 pcs/box - 10 boxes/carton



NA.0TELSS 93.500 ^{VND}
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Telephone socket size S
 50 pcs/box - 10 boxes/carton



NA.0PCM 93.500 ^{VND}
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Connector mode T56BA, T568B
 Computer socket size M
 40 pcs/box - 10 boxes/carton



NA.0PCSS 93.500 ^{VND}
 Temperature: (-)20°C to (-)70°C
 Insulation resistance no less than 500
 Electrical specification EIA/TIABI
 Connector mode T56BA, T568B
 Computer socket size S
 50 pcs/box - 10 boxes/carton



NA.0DKQM 258.500 ^{VND}
 500W/220V
 Only for filament lamp
 Dimmer control
 40 pcs/box - 10 boxes/carton



NA.0DKQSS 258.500 ^{VND}
 Working voltage: 220V - 50Hz
 Load power: 25 - 300W
 Load can be connected: Ceiling fan
 Speed control
 40 pcs/box - 10 boxes/carton

Nova wood Series



NOVA-GM1SS 99.000 VND

Single panel with bracket
Size S - Wood grain
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-G001S 110.000 VND

Block face panel with bracket
Wood grain
16 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-GM2SS 99.000 VND

Double panel with bracket
Size 2S - Wood grain
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-G002S 110.000 VND

Single panel with bracket
Wood grain
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-GM3L 99.000 VND

Triple panel with bracket
Size L - Wood grain
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-G003L 110.000 VND

Double panel with bracket
Wood grain
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm

PEHA[®] Luxury
SWITCH & SOCKET ALUMINUM GRAY



Nova

Aluminum Series

Nova Aluminum Series



NOVA-AI01A 148.500 VND

16A/250V
1 gang 1 way switch

NOVA-AI02B 159.500 VND

16A/250V
1 gang 2 way switch



NOVA-AI02A 187.000 VND

16A/250V
2 gang 1 way switch

NOVA-AI02B 209.000 VND

16A/250V
2 gang 2 way switch



NOVA-AI03A 225.500 VND

16A/250V
3 gang 1 way switch/ 3 công tắc 1 chiều

NOVA-AI03B 258.500 VND

16A/250V
3 gang 2 way switch/ 3 công tắc 2 chiều



NOVA-AI04A 264.000 VND

16A/250V
4 gang 1 way switch

NOVA-AI04B 297.000 VND

16A/250V
4 gang 2 way switch



NOVA-AI05A 247.500 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

NOVA-AI05B 258.500 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



NOVA-AI06 358.000 VND

16A/250V
2x3 pole multi function socket



NOVA-AI07A 355.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

NOVA-AI07B 366.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



NOVA-AI08 292.500 VND

Tivi + computer socket



NOVA-ALCOC2CSS/M3L 341.000 VND

16A/250V
3-2 pole double socket



NOVA-ALCOC3CL/M3L 269.500 VND

16A/250V
6 pole double socket

Nova Aluminum Series



AL-L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

AL-L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



AL-M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

AL-M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AL-SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

AL-SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

AL-SS01C 110.000 VND

1 gang multi control size S



AL-MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

AL-MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AL-SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



AL-CCL 71.500 VND

16A/250V
Door bell switch size M
20 pcs/box - 10 boxes/carton



AL-DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



AL-CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



AL-OC3CM 99.000 VND


16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



AL-OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

Nova Aluminum Series



AL-OC3CL 159.500 VND

16A/250V
2 x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



AL-USB 385.000 VND

Electric: 2.1A
2 pole usb Type C size S
50 pcs/box - 10 boxes/carton



AL-TVM 89.100 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



AL-TVSS 89.100 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



AL-TELM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



AL-TELSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



AL-PCM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



AL-PCSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



AL-DKQM 258.500 VND

500W/220V
Only for filament lamp
Dimmer control

40 pcs/box - 10 boxes/carton



AL-DKDM 258.500 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

Nova Aluminum Series




NOVA-ALM1SS 110.000 VND

Single panel with bracket
Size S - Aluminum-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-AL001S 121.000 VND

Block face panel with bracket
Aluminum-Gray
16 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-ALM2SS 110.000 VND

Double panel with bracket
Size 2S - Aluminum-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-AL002S 121.000 VND

Single panel with bracket
Aluminum-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-ALM3L 110.000 VND

Triple panel with bracket
Size L - Aluminum-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



NOVA-AL003L 121.000 VND

Double panel with bracket
Aluminum-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm

PEHA[®]

Luxury

SWITCH & SOCKET GOLD GLASS + GRAY + WHITE + BLACK



Color

Aura Kantig Series

Aura Kantig Series



AR-GLL01A 247.500 VND

16A/250V
1 gang 1 way switch

AR-GLL01B 258.500 VND

16A/250V
1 gang 2 way switch



AR-GLM02A 286.000 VND

16A/250V
2 gang 1 way switch

AR-GLM02B 308.000 VND

16A/250V
2 gang 2 way switch



AR-GLS03A 324.500 VND

16A/250V
3 gang 1 way switch

AR-GLS03B 357.500 VND

16A/250V
3 gang 2 way switch



AR-GLSS04A 363.000 VND

16A/250V
4 gang 1 way switch

AR-GLSS04B 396.000 VND

16A/250V
4 gang 2 way switch



AR-GL3MA 346.500 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

AR-GL3MB 357.500 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



AR-GL3CM 407.000 VND

16A/250V
2x3 pole multi function socket



AR-GL2DB20ASA 454.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

AR-GL2DB20ASB 465.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



AR-GLTVPC 391.600 VND

Tivi + computer socket



AR-GLOC2CSS/M3L 440.000 VND

16A/250V
3-2 pole double socket



AR-GLOC3CL/M3L 368.500 VND

16A/250V
6 pole double socket

Aura Kantig Series



AR-L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

AR-L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



AR-M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

AR-M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

AR-SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

AR-SS01C 110.000 VND

1 gang multi control size S



AR-MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

AR-MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



AR-CCL 71.500 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



AR-ĐBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



AR-CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



AR-OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



AR-OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

Aura Kantig^{Series}



AR-OC3CL 159.500 VND

16A/250V
2 x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



AR-USB 385.000 VND

electric: 2.1A
USB-Type C socket size S
50 pcs/box - 10 boxes/carton



AR-TVM 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



AR-TVSS 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



AR-TELM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



AR-TELSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



AR-PCM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



AR-PCSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



AR-DKQM 258.500 VND

500W/220V
Only for filament lamp
Dimmer control
Size M fan potentiometer
40 pcs/box - 10 boxes/carton



AR-DKDM 258.500 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

Aura Kantig Series



AR-M1SS 209.000 VND

Single panel with bracket
Size S - Glass-Gold
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-M1SS 209.000 VND

Single panel with bracket
Size S - Glass-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-M2SS 209.000 VND

Double panel with bracket
Size S - Glass-Gold
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-M2SS 209.000 VND

Double panel with bracket
Size S - Glass-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-M3L 209.000 VND

Triple panel with bracket
Size L - Glass-Gold
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-M3L 209.000 VND

Triple panel with bracket
Size L - Glass-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-001S 231.000 VND

Block face panel with bracket
Glass-Gold
16 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-001S 231.000 VND

Block face panel with bracket
Glass-Gray
16 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-002S 231.000 VND

Single panel with bracket
Glass-Gold
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-002S 231.000 VND

Single panel with bracket
Glass-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-003L 231.000 VND


Double panel with bracket
Glass-Gold
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm



AR-003L 231.000 VND

Double panel with bracket
Glass-Gray
20 pcs/box - 10 boxes/carton
Size: 120mm x 72mm

Aura Kantig^{Series}



AR-M1SS 209.000 VND

Single panel with bracket
Size S - Glass-White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-M1SS 209.000 VND

Single panel with bracket
Size S - Glass-Black
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-M2SS 209.000 VND

Double panel with bracket
Size S - Glass-White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-M2SS 209.000 VND

Double panel with bracket
Size S - Glass-Black
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-M3L 209.000 VND

Triple panel with bracket
Size L - Glass-White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-M3L 209.000 VND

Triple panel with bracket
Size L - Glass-Black
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-001S 231.000 VND

Block face panel with bracket
Glass-White
16 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-001S 231.000 VND

Block face panel with bracket
Glass-Black
16 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-002S 231.000 VND

Single panel with bracket
Glass-White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-002S 231.000 VND

Single panel with bracket
Glass-Black
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-003L 231.000 VND

Double panel with bracket
Glass-White
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm



AR-003L 231.000 VND

Double panel with bracket
Glass-Black
20 pcs/box - 10 boxes/carton
Size: 117mm x 73mm

Aura Kantig Series



AR-GLL01A 247.500 VND

16A/250V
1 gang 1 way switch

AR-GLL01B 258.500 VND

16A/250V
1 gang 2 way switch



AR-GLM02A 286.000 VND

16A/250V
2 gang 1 way switch

AR-GLM02B 308.000 VND

16A/250V
2 gang 2 way switch



AR-GLS03A 324.500 VND

16A/250V
3 gang 1 way switch

AR-GLS03B 357.500 VND

16A/250V
3 gang 2 way switch



AR-GLSS04A 363.000 VND

16A/250V
4 gang 1 way switch

AR-GLSS04B 396.000 VND

16A/250V
4 gang 2 way switch



AR-GL3MA 346.500 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

AR-GL3MB 357.500 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



AR-GL3CM 407.000 VND

16A/250V
2x3 pole multi function socket



AR-GL2DB20ASA 454.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch

AR-GL2DB20ASB 465.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



AR-GLTVPC 391.600 VND

Tivi + computer socket



AR-GLOC2CSS/M3L 440.000 VND

16A/250V
3-2 pole double socket



AR-GLOC3CL/M3L 368.500 VND

16A/250V
6 pole double socket

Aura Kantig^{Series}



AR-L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

AR-L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



AR-M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

AR-M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

AR-SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

AR-SS01C 110.000 VND

1 gang multi control size S



AR-MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

AR-MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



AR-CCL 71.500 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



AR-DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



AR-CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



AR-OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



AR-OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

Aura Kantig^{Series}



AR-OC3CL 159.500 VND

16A/250V
2 x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



AR-USB 385.000 VND

electric: 2.1A
USB-Type C socket size S
50 pcs/box - 10 boxes/carton



AR-TVM 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



AR-TVSS 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



AR-TELM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



AR-TELSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



AR-PCM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



AR-PCSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



AR-DKQM 258.500 VND

500W/220V
Only for filament lamp
Dimmer control
Size M fan potentiometer
40 pcs/box - 10 boxes/carton



AR-DKDM 258.500 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

Aura Kantig Series



AR-GLL01A 249.000 VND

16A/250V
1 gang 1 way switch

AR-GLL01B 261.000 VND

16A/250V
1 gang 2 way switch



AR-GLM02A 289.000 VND

16A/250V
2 gang 1 way switch

AR-GLM02B 313.000 VND

16A/250V
2 gang 2 way switch



AR-GLS03A 329.000 VND

16A/250V
3 gang 1 way switch

AR-GLS03B 365.000 VND

16A/250V
3 gang 2 way switch



AR-GLSS04A 369.000 VND

16A/250V
4 gang 1 way switch

AR-GLSS04B 379.000 VND

16A/250V
4 gang 2 way switch



AR-GL3MA 359.000 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

AR-GL3MB 371.000 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



AR-GL3CM 429.000 VND

16A/250V
2x3 pole multi function socket



AR-GL2DB20ASA 464.000 VND

16A/250V
1 gang 1 way + indicator + 20A switch

AR-GL2DB20ASB 476.000 VND

16A/250V
1 gang 2 way + indicator + 20A switch



AR-GLTVPC 394.000 VND

Tivi + computer socket



AR-GLOC2CSS/M3L 440.000 VND

16A/250V
3-2 pole double socket



AR-GLOC3CL/M3L 368.500 VND

16A/250V
6 pole double socket

Aura Kantig Series



AR-L01A 40.000 VND

16A/250V
1 gang 1 way switch size L

AR-L01B 52.000 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



AR-M01A 40.000 VND

16A/250V
1 gang 1 way switch size M

AR-M01B 52.000 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-SS01A 40.000 VND

16A/250V
1 gang 1 way switch size S

AR-SS01B 52.000 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

AR-SS01C 110.000 VND

1 gang multi control size S



AR-MSS01A 92.000 VND

16A/250V
2 gang 1 way switch size M

AR-MSS01B 95.000 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-SS20A 140.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



AR-CCL 85.000 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



AR-ĐBS 85.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



AR-CONTROL 145.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



AR-OC3CM 110.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



AR-OC2CSS 85.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

Aura Kantig Series



AR-OC3CL 190.000 VND

16A/250V
2 x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



AR-USB 450.000 VND

electric: 2.1A
USB-Type C socket size S
50 pcs/box - 10 boxes/carton



AR-TVM 90.000 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



AR-TVSS 90.000 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



AR-TELM 95.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



AR-TELSS 95.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



AR-PCM 95.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



AR-PCSS 95.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



AR-DKQM 265.000 VND

500W/220V
Only for filament lamp
Dimmer control
Size M fan potentiometer
40 pcs/box - 10 boxes/carton



AR-DKDM 265.000 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

Aura Kantig Series



AR-GLL01A 247.500 VND

16A/250V
1 gang 1 way switch

AR-GLL01B 258.500 VND

16A/250V
1 gang 2 way switch



AR-GLM02A 286.000 VND

16A/250V
2 gang 1 way switch

AR-GLM02B 308.000 VND

16A/250V
2 gang 2 way switch



AR-GLS03A 324.500 VND

16A/250V
3 gang 1 way switch

AR-GLS03B 357.500 VND

16A/250V
3 gang 2 way switch



AR-GLSS04A 363.000 VND

16A/250V
4 gang 1 way switch

AR-GLSS04B 396.000 VND

16A/250V
4 gang 2 way switch



AR-GL3MA 346.500 VND

16A/250V
1 gang 1 way switch with 3 pole multi function socket

AR-GL3MB 357.500 VND

16A/250V
1 gang 2 way switch with 3 pole multi function socket



AR-GL3CM 407.000 VND

16A/250V
2x3 pole multi function socket



AR-GL2DB20ASA 454.500 VND

16A/250V
1 gang 1 way + indicator + 20A switch


AR-GL2DB20ASB 465.500 VND

16A/250V
1 gang 2 way + indicator + 20A switch



AR-GLTVPC 391.600 VND

Tivi + computer socket



AR-GLOC2CSS/M3L 440.000 VND

16A/250V
3-2 pole double socket



AR-GLOC3CL/M3L 368.500 VND

16A/250V
6 pole double socket

Aura Kantig^{Series}



AR-0L01A 35.000 VND

16A/250V
1 gang 1 way switch size L

AR-L01B 45.000 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



AR-0M01A 35.000 VND

16A/250V
1 gang 1 way switch size M

AR-0M01B 45.000 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-0SS01A 35.000 VND

16A/250V
1 gang 1 way switch size S

AR-0SS01B 45.000 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton

AR-SS01C 110.000 VND
1 gang multi control size S



AR-0MSS01A 65.000 VND

16A/250V
2 gang 1 way switch size M

AR-0MSS01B 80.000 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



AR-0SS20A 120.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



AR-0CCL 65.000 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



AR-0DBS 65.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



AR-0CONTROL 130.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



AR-0OC3CM 85.000 VND


16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



AR-0OC2CSS 65.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

Aura Kantig^{Series}



AR-0OC3CL 140.000 VND

16A/250V
6 pole multi function socket size L
20 pcs/box - 10 boxes/carton



AR-0USB 350.000 VND

electric: 2.1A
USB Type C socket size S
50 pcs/box - 10 boxes/carton



AR-0TVM 81.000 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



AR-0TVSS 81.000 VND

Impedance: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ±1.0dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



AR-0TELM 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



AR-0TELSS 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



AR-0PCM 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



AR-0PCSS 85.000 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



AR-0DKDM 235.000 VND

500W/220V
Only for filament lamp
Dimmer control
40 pcs/box - 10 boxes/carton



AR-0DKQM 235.000 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

PEHA[®] Luxury
SWITCH & SOCKET ULTRA - PLASTIC



Ultra Thin

DIALOG 120 series

DIALOG 120 series



D 95.571.02.60 137.500 VND

1 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.572.02.60 170.500 VND

2 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.573.02.60 217.800 VND

3 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.574.02.60 247.500 VND

4 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.6511.03 WI 205.700 VND

1 Gang 2 way Switch
4 Pole Socket
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.540.06 K 134.200 VND

Door Bell Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.575.02.60 203.500 VND

1 Gang Multi Control Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.644.03 250.000 VND

2 Gang Curtain
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 636 RTR O.20A 387.200 VND

20A Switch
20A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.6512/2.36 NA 192.500 VND

16A/250V
4 Pole multi Function Socket
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm

DIALOG 120 series



D 95.6511.19 WI 145.200 VND
 16A/250V
 3 Pole multi Function Socket/Switch Lock
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 120mm x 74mm



D 95.6513/3.36 NA 206.800 VND
 16A/250V
 6 Pole multi Function Socket
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 120mm x 74mm



D 95.6511.70 SI NA 189.500 VND
 Schuko Socket Germany
 16A/250V - 2 Pole Socket
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 120mm x 74mm



B 6571.70 SI USB 451.000 VND
 USB & 4 Pole Socket
 16A/250V - 3 Pole Socket
 2.1A/5V USB/Type C
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 120mm x 74mm



D 95.610.02 AT 143.000 VND
 1 Tivi Socket
 Impedance: 7 Ω
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 120mm x 74mm



D 95.610.70 UAE/1-N 148.500 VND
 1 Computer Socket
 Insertion Resistance: $\geq 500m\Omega$
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 120mm x 74mm



D 95.677.02-Z 104.500 VND
 Blank Panel
 Plastics: PC - Box: 20 pcs - Carton: 200 pcs
 Size: 120mm x 74mm



D 95.610.03 MJ2TV 181.500 VND
 Tivi & Computer Socket
 Tivi:
 Impedance: 75 Ω
 Computer:
 Insertion Resistance: $\geq 500m\Omega$
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 120mm x 74mm



D 95.810.04 HR DALI 390.500 VND
 Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Size: 120mm x 74mm



D 95.810.05 HR 390.500 VND
 Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Size: 120mm x 74mm

DIALOG 120 series



D 95.571.02.60 137.500 VND

1 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.572.02.60 170.500 VND

2 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.573.02.60 217.800 VND

3 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.574.02.60 247.500 VND

4 Gang 2 way Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.6511.03 WI 205.700 VND

1 Gang 2 way Switch
4 Pole Socket
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.540.06 K 134.200 VND

Door Bell Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.575.02.60 203.500 VND

1 Gang Multi Control Switch
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.644.03 250.000 VND

2 Gang Curtain
10A~16A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 636 RTR O.20A 387.200 VND


20A Switch
20A/250V
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.6512/2.36 NA 192.500 VND


16A/250V
4 Pole multi Function Socket
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm

DIALOG 120 series



D 95.6511.19 WI 145.200 VND

16A/250V
3 Pole multi Function Socket/Switch Lock
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.6513/3.36 NA 206.800 VND

16A/250V
6 Pole multi Function Socket
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.6511.70 SI NA 189.500 VND

Schuko Socket G
16A/250V - 2 Pole Socket
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



B 6571.70 SI USB 451.000 VND

USB & 4 Pole Socket
16A/250V - 3 Pole Socket
2.1A/5V USB/Type C
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.610.02 AT 143.000 VND

1 Tivi Socket
Impedance: 7 Ω
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.610.70 UAE/1-N 148.500 VND

1 Computer Socket
Insertion Resistance: $\geq 500m\Omega$
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.677.02-Z 104.500 VND

Blank Panel
Plastics: PC - Box: 20 pcs - Carton: 200 pcs
Size: 120mm x 74mm



D 95.610.03 MJ2TV 181.500 VND

Tivi & Computer Socket
Tivi:
Impedance: 75 Ω
Computer:
Insertion Resistance: $\geq 500m\Omega$
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 120mm x 74mm



D 95.810.04 HR DALI 390.500 VND

Speed Control Switch
Working Voltage: 250V - 50Hz
Load Power: 30 - 400W
Plastics: PC - Box: 6 pcs - Carton: 60 pcs
Size: 120mm x 74mm



D 95.810.05 HR 390.500 VND

Dimmer Control Switch
Working Voltage: 250V - 50Hz
Maximum Load Power: 700W
Plastics: PC - Box: 6 pcs - Carton: 60 pcs
Size: 120mm x 74mm

PEHA[®] Luxury
SWITCH & SOCKET ULTRA - GLASS



Ultra Thin




ATHENIS Series - full-frame glass variant

ATHENIS Series - full-frame glass variant



D 80.571.03 310.000 VND

1 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm




D 80.572.03 355.000 VND

2 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm




D 80.573.03 436.000 VND

3 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



H 80.6685.02 465.000 VND

16A/250V
1 gang 1 way Switch
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
2 pole Socket Germany
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm




D 80.575.02 438.000 VND

2 Gang 2 way Switch
2 Pole Socket
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 655 L 310.000 VND

Door Bell Switch
10A~16A/250V
Glass: Box 10 pcs - Carton: 100 pcs
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Size: 124mm x 76mm



D 80.692 W 378.000 VND

1 Gang Multi Control Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.644 W 395.000 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 81.640.02 GLK.20A 465.000 VND


20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 81.640.02 GLK NA 455.000 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm

ATHENIS Series - full-frame glass variant



D 80.6511 W 345.000 VND

16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
3 Pole multi Function Socket
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.6513 W 410.000 VND

16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
6 Pole multi Function Socket
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.6611 W 461.000 VND

Schuko Socket germany
16A/250V - 2 Pole Socket
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 6511.03 SI USB 668.000 VND

USB & 6 Pole Socket
16A/250V
2.1A/5V USB/Type C
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.610 TV W 289.000 VND

1 Tivi Socket
Lmpedance: 7 Ω
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.610 UAE/1-N W 310.000 VND

1 Computer Socket
Insertion Resistance: $\geq 500m\Omega$
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.6612 W 263.000 VND

Blank Panel
Glass: Box 20 pcs - Carton: 200 pcs
Size: 124mm x 76mm



D 80.610 MJ1 NA W 432.000 VND

Tivi & Computer Socket
Tivi:
Lmpedance: 75 Ω
Computer:
Insertion Resistance: $\geq 500m\Omega$
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.610.02 V HR DALI 472.000 VND

Speed Control Switch
Working Voltage: 250V - 50Hz
Load Power: 30 - 400W
Glass: Box 6 pcs - Carton: 60 pcs
Size: 120mm x 76mm



D 80.610.02 HR DALID 472.000 VND

Dimmer Control Switch
Working Voltage: 250V - 50Hz
Maximum Load Power: 700W
Glass: Box 6 pcs - Carton: 60 pcs
Size: 120mm x 76mm

ATHENIS Series - full-frame glass variant



D 80.571.03 310.000 VND

1 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm




D 80.572.03 355.000 VND

2 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.573.03 436.000 VND

3 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



H 80.6685.02 465.000 VND

16A/250V
1 gang 1 way Switch
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
2 pole Socket Germany
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm




D 80.575.02 438.000 VND

2 Gang 2 way Switch
2 Pole Socket
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 655 L 310.000 VND

Door Bell Switch
10A~16A/250V
Glass: Box 10 pcs - Carton: 100 pcs
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Size: 124mm x 76mm



D 80.692 W 378.000 VND

Multi Control
1 Gang Multi Control Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.644 W 462.000 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 81.640.02 GLK.20A 395.000 VND


20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 81.640.02 GLK NA 465.000 VND


45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper:
65% Cu
Glass: Box 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm

ATHENIS Series - full - frame glass variant



D 80.6511 W 345.000 VND

16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
3 Pole multi Function Socket
Glass: Box: 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.6513 W 410.000 VND

16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
6 Pole multi Function Socket
Glass: Box: 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.6611 W 461.000 VND

Schuko Socket germany
16A/250V - 2 Pole Socket
Glass: Box: 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 6511.03 SI USB 668.000 VND

USB & 6 Pole Socket
16A/250V
2.1A/5V USB/Type C
Glass: Box: 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm




D 80.610 TV W 289.000 VND

1 Tivi Socket
Lmpedance: 7 Ω
Glass: Box: 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.610 UAE/1-N W 310.000 VND

1 Computer Socket
Insertion Resistance: $\geq 500m\Omega$
Glass: Box: 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.6612 W 263.000 VND

Blank Panel
Glass: Box: 20 pcs - Carton: 200 pcs
Size: 124mm x 76mm



D 80.610 MJ1 NA W 432.000 VND

Tivi & Computer Socket
Tivi:
Lmpedance: 75 Ω
Computer:
Insertion Resistance: $\geq 500m\Omega$
Glass: Box: 10 pcs - Carton: 100 pcs
Size: 124mm x 76mm



D 80.610.02 V HR DALI 472.000 VND

Speed Control Switch
Working Voltage: 250V - 50Hz
Load Power: 30 - 400W
Glass: Box: 6 pcs - Carton: 60 pcs
Size: 120mm x 76mm



D 80.610.02 HR DALID 472.000 VND

Dimmer Control Switch
Working Voltage: 250V - 50Hz
Maximum Load Power: 700W
Glass: Box: 6 pcs - Carton: 60 pcs
Size: 120mm x 76mm

PEHA®

Electric

SWITCH & SOCKET



BADORA 118 series

BADORA 118 series



BDR-L01A 345.400 VND

16A/250V
1 gang 1 way

BDR-L01B 356.400 VND

16A/250V
1 gang 2 way



BDR-M01A 383.900 VND

16A/250V
2 gang 1 way

BDR-M01B 405.900 VND

16A/250V
2 gang 2 way



BDR-S03A 422.400 VND

16A/250V
3 gang 1 way

BDR-S03B 455.400 VND

16A/250V
3 gang 2 way



BDR-SS04A 460.900 VND

16A/250V
4 gang 1 way

BDR-SS04B 493.900 VND

16A/250V
4 gang 2 way



BDR-3CMA 444.400 VND

16A/250V
1 gang 1 way switch 3 pole multi socket

BDR-3CMA 455.400 VND

16A/250V
1 gang 2 way switch 3 pole multi socket



BDR-3CM 504.900 VND

16A/250V
2 x 3 Pole multi Function Socket



BDR-DB20ASA 552.400 VND

16A/250V
1 gang 1 way + indicator + 20A switch

BDR-DB20ASB 563.400 VND

16A/250V
1 gang 2 way + indicator + 20A switch



BDR-TVPC 489.400 VND

Tivi + computer socket



BDR-DBOC2CSS/M3L 537.900 VND

16A/250V
3-2 pole double socket



BDR-DBOC3CL/M3L 466.400 VND

16A/250V
6 pole double socket

BADORA 118 series



BR.0L01A 38.500 VND

16A/250V
1 gang 1 way switch size L

BR.L01B 49.500 VND

16A/250V
1 gang 2 way switch size L
20 pcs/box - 10 boxes/carton



BR.0M01A 38.500 VND

16A/250V
1 gang 1 way switch size M

BR.0M01B 49.500 VND

16A/250V
1 gang 2 way switch size M
40 pcs/box - 10 boxes/carton



BR.0SS01A 38.500 VND

16A/250V
1 gang 1 way switch size S

BR.0SS01B 49.500 VND

16A/250V
1 gang 2 way switch size S
50 pcs/box - 10 boxes/carton



BR.0MSS01A 77.000 VND

16A/250V
2 gang 1 way switch size M

BR.0MSS01B 93.500 VND

16A/250V
2 gang 2 way switch size M
40 pcs/box - 10 boxes/carton

BR-0SS01C 110.000 VND

1 gang multi control size S



BR.0SS20A 132.000 VND

20A/250V
20a switch size S
50 pcs/box - 10 boxes/carton



BR.0CCL 71.500 VND

16A/250V
Door bell switch size L
20 pcs/box - 10 boxes/carton



BR.0DBS 75.000 VND

Red indicator light size S
50 pcs/box - 10 boxes/carton



BR.0CONTROL 143.000 VND

Multi control switch size M
40 pcs/box - 10 boxes/carton



BR.0OC3CM 99.000 VND

16A/250V
3 pole multi function socket size M
40 pcs/box - 10 boxes/carton



BR.0OC2CSS 77.000 VND

16A/250V
2 pole socket size S
50 pcs/box - 10 boxes/carton

BADORA 118 series



BR.0OC3CL 159.500 VND

16A/250V
2x3 pole multi function socket size L
20 pcs/box - 10 boxes/carton



BR.0USB 385.000 VND

electric: 2.1A
USB - Type C socket size S
50 pcs/box - 10 boxes/carton



BR.0TVM 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size M
40 pcs/box - 10 boxes/carton



BR.0TVSS 89.100 VND

Impedane: 75 Ω
Insertion loss: VHF 3.5 dB UHF < 5dB
Flatness in Band ± 1.0 dB
Tivi socket size S
50 pcs/box - 10 boxes/carton



BR.0TELM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size M
40 pcs/box - 10 boxes/carton



BR.0TELSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Telephone socket size S
50 pcs/box - 10 boxes/carton



BR.0PCM 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size M
40 pcs/box - 10 boxes/carton



BR.0PCSS 93.500 VND

Temperature: (-)20°C to (-)70°C
Insulation resistance no less than 500
Electrical specification EIA/TIABI
Connecton mode T56BA, T568B
Computer socket size S
50 pcs/box - 10 boxes/carton



BR.0DKQM 258.500 VND

500W/220V
Only for filament lamp
Dimmer control
40 pcs/box - 10 boxes/carton



BR.0DKQSS 258.500 VND

Working voltage: 220V - 50Hz
Load power: 25 - 300W
Load can be connected: Ceiling fan
Speed control
40 pcs/box - 10 boxes/carton

BADORA 118 series



BDR-M1SS 306.900 VND

Single panel with bracket
 Size: S - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-M1SS 306.900 VND

Single panel with bracket
 Size: S - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-M2SS 306.900 VND

Single panel with bracket
 Size: SS - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-M2SS 306.900 VND

Single panel with bracket
 Size: SS - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-M3L 306.900 VND

Single panel with bracket
 Size: L - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm




BDR-M3L 306.900 VND

Single panel with bracket
 Size: L - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-001S 330.000 VND

Single panel with bracket
 Size: S - Zinc alloy plated with copper
 16 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm




BDR-001S 330.000 VND

Single panel with bracket
 Size: S - Zinc alloy plated with copper
 16 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-002S 330.000 VND

Single panel with bracket
 Size: SS - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm




BDR-002S 330.000 VND

Single panel with bracket
 Size: SS - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-003L 330.000 VND

Single panel with bracket
 Size: L - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm



BDR-003L 330.000 VND

Single panel with bracket
 Size: L - Zinc alloy plated with copper
 20 pcs/Box - 10 Boxes/Carton
 Size: 117mm x 73mm

PEHA[®] Luxury
SWITCH & SOCKET ULTRA - PLASTIC



Ultra Thin

DIALOG 86 series

DIALOG 86 series



D 95.540.03 137.500 VND

1 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.645.03 167.200 VND

2 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.645.19 181.500 VND

3 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.645.70 225.500 VND

4 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.6512/3.02 225.500 VND

1 Gang 2 way Switch
4 Pole Socket
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.540.02 K 148.500 VND

Door Bell Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.642.03 214.500 VND

1 Gang Multi Control Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.644.03 340.000 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.610.02.20A 341.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.610.02.45A 390.500 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm

DIALOG 86 series



D 95.6511.03 217.800 VND
 16A/250V
 3 Pole multi Function Socket/Switch Lock
 Copper Class: Phosphor Bronze
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.6513.02 NA 176.000 VND
 16A/250V
 5 Pole multi Function Socket/Switch Lock
 Copper Class: Phosphor Bronze
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.6511.19 NA 220.000 VND
 Schuko Socket Germany
 16A/250V - 2 Pole Socket
 Copper Class: Phosphor Bronze
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



B 6571.03 SI USB 621.500 VND
 USB/Type C & 3 Pole Socket & Switch Lock
 16A/250V - 3 Pole Socket
 2.1A/5V USB/Type C
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.03 TV NA 159.500 VND
 1 Tivi Socket
 Impedance: 7 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.03 -2TV NA 319.000 VND
 2 Tivi Socket
 Impedance: 7 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.03 UAE/1-N 214.500 VND
 1 Computer Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.03 UAE/2-N 341.000 VND
 2 Computer Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.19 UAE/2-N 258.500 VND
 Tivi & Tel Socket
 Impedance: 75 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.03 UAE/2-N 258.500 VND
 Tivi & Computer Socket
 Tivi:
 Impedance: 75 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
 Computer:
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm

DIALOG 86 series



D 95.610.03 TAE NA 214.500 VND

1 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.03 - 2TAE NA 341.000 VND

2 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.610.02 AT 107.800 VND

Blank Panel
 Plastics: PC - Box: 20 pcs - Carton: 200 pcs
 Color: Gold
 Size: 86mm x 86mm



D LS1000R RD100 AP 698.500 VND

360°-Grad-Bewegungssensor
 Working Voltage: 250V - 50Hz
 Load Power: Filamentlamp 500W, Fluorescentlamp,
 Electronic Fluorescentlamp 300W
 Delay time: 30S
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.810.02 HR DALI 313.500 VND

Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.810.03 HR 313.500 VND

Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.556.02 HC GLK 589.000 VND

Insert Card for Power On
 Working Voltage: 30A/250V
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 95.556.70 HC GLK 672.000 VND

Insert Card for Power On (High frequency)
 Working Voltage: 40A/250V
 Only high - frequency card into it can get power/frequency:
 13.56 Mhz
 Other card is useless on it
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 20.691.022 25.000 VND

Square base
 Plastics: Carton/100 pcs
 Size: 75mm x 75mm x 50mm



D 95.691.03 16.000 VND

Square base
 Plastics: Carton/200 pcs
 Size: 75mm x 75mm x 50mm

DIALOG 86 series



D 95.540.03 137.500 VND

1 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.645.03 167.200 VND

2 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.645.19 181.500 VND

3 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.645.70 225.500 VND

4 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.6512/3.02 225.500 VND

1 Gang 2 way Switch
4 Pole Socket
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.540.02 K 148.500 VND

Door Bell Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.642.03 214.500 VND

1 Gang Multi Control Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.644.03 340.000 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.610.02.20A 341.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.610.02.45A 390.500 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm

DIALOG 86 series



D 95.6511.03 217.800 VND
 16A/250V
 3 Pole multi Function Socket/Switch Lock
 Copper Class: Phosphor Bronze
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.6513.02 NA 176.000 VND
 16A/250V
 5 Pole multi Function Socket/Switch Lock
 Copper Class: Phosphor Bronze
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.6511.19 NA 220.000 VND
 Schuko Socket
 16A/250V - 2 Pole Socket
 Copper Class: Phosphor Bronze
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



B 6571.03 SI USB 621.500 VND
 USB/Type C & 3 Pole Socket & Switch Lock
 16A/250V - 3 Pole Socket
 2.1A/5V USB/Type C
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.03 TV NA 159.500 VND
 1 Tivi Socket
 Impedance: 7 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band \pm 1.0dB
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.03 -2TV NA 319.000 VND
 2 Tivi Socket
 Impedance: 7 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band \pm 1.0dB
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.03 UAE/1-N 214.500 VND
 1 Computer Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: \geq 500m Ω
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.03 UAE/2-N 341.000 VND
 2 Computer Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: \geq 500m Ω
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.19 UAE/2-N 258.500 VND
 Tivi & Tel Socket
 Impedance: 75 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band \pm 1.0dB
 Temperature: 30°C - 70°C
 Insertion Resistance: \geq 500m Ω
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.03 UAE/2-N 258.500 VND
 Tivi & Computer Socket
 Tivi:
 Impedance: 75 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band \pm 1.0dB
 Computer:
 Temperature: 30°C - 70°C
 Insertion Resistance: \geq 500m Ω
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm

DIALOG 86 series



D 95.610.03 TAE NA 214.500 VND

1 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.03 - 2TAE NA 341.000 VND

2 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.610.02 AT 107.800 VND

Blank Panel
 Plastics: PC - Box: 20 pcs - Carton: 200 pcs
 Color: Gray
 Size: 86mm x 86mm



D LS1000R RD100 AP 698.500 VND

360°-Grad-Bewegungssensor
 Working Voltage: 250V - 50Hz
 Load Power: Filamentlamp 500W, Fluorescentlamp, Electronic Fluorescentlamp 300W
 Delay time: 30S
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.810.02 HR DALI 313.500 VND

Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.810.03 HR 313.500 VND

Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.556.02 HC GLK 589.000 VND

Insert Card for Power On
 Working Voltage: 30A/250V
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 95.556.70 HC GLK 672.000 VND

Insert Card for Power On (High frequency)
 Working Voltage: 40A/250V
 Only high - frequency card into it can get power/frequency: 13.56 Mhz
 Other card is useless on it
 Plastics: PC - Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 20.691.022 25.000 VND

Square base
 Plastics: Carton/100 pcs
 Size: 75mm x 75mm x 50mm



D 95.691.03 16.000 VND

Square base
 Plastics: Carton/200 pcs
 Size: 75mm x 75mm x 50mm

PEHA[®] Luxury
SWITCH & SOCKET ULTRA - GLASS



Ultra Thin

AURA VOLLBERG-GLAS

Series: ultra-thin glass

AURA VOLLBERG-GLAS Series: ultra-thin glass



D 80.0671 W 293.000 VND

1 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.672 W 310.000 VND

2 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.673 W 367.000 VND

3 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.674 W 455.000 VND

4 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.675 W 355.000 VND

1 Gang 2 way Switch
4 Pole Socket
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.6686 W 342.000 VND

Door Bell Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.676 W 335.000 VND

1 Gang Multi Control Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.644.03 458.000 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.6672/15.20A US W 365.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.6672/20.45A US W 450.000 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm

AURA VOLLBERG-GLAS Series: ultra-thin glass



D 80.642 W 305.000 VND

16A/250V
3 Pole multi Function Socket/Switch Lock
Copper Class: Phosphor Bronze
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.6512/3 W 375.000 VND

16A/250V
5 Pole multi Function Socket/Switch Lock
Copper Class: Phosphor Bronze
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.6611/4.02 345.000 VND

Schuko Socket Germany
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 6511.03 SI USB 565.000 VND

USB/Type C & 3 Pole Socket & Switch Lock
16A/250V - 3 Pole Socket
2.1A/5V USB/Type C
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.610.01 TV 310.000 VND

1 Tivi Socket
Lmpedance: 7 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Fiatness in band ± 1.0 dB
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.610.02 TV 410.000 VND

2 Tivi Socket
Lmpedance: 7 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Fiatness in band ± 1.0 dB
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.610.01 UAE/1-N 325.000 VND

1 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 95.610.02 UAE/2-N 535.000 VND

2 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.610.04 UAE/2-N 455.000 VND

Tivi & Tel Socket 395.000 VND
Lmpedance: 75 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Fiatness in band ± 1.0 dB
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 80.610.03 UAE/2-N 455.000 VND

Tivi & Computer Socket
Tivi:
Lmpedance: 75 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Fiatness in band ± 1.0 dB
Computer:
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm

AURA VOLLBERG-GLAS Series: ultra-thin glass



D 80.610.05 TAE NA 325.000 VND

1 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Glass: Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 80.610.06 - 2TAE NA 410.000 VND

2 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Glass: Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 80.610.07 AT 310.000 VND

Blank Panel
 Glass: Box: 20 pcs - Carton: 200 pcs
 Color: Gold
 Size: 86mm x 86mm



D LS1000R RD100 AP 735.000 VND

360°-Grad-Bewegungssensor
 Working Voltage: 250V - 50Hz
 Load Power: Filamentlamp 500W, Fluorescentlamp, Electronic Fluorescentlamp 300W
 Delay time: 30S
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gold
 Size: 86mm x 86mm



D 80.610 ZJ W 465.000 VND

Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 80.610 ZJ 465.000 VND

Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 81.512 V K HN 683.000 VND

Insert Card for Power On
 Working Voltage: 30A/250V
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 81.516 V K HN 848.000 VND

Insert Card for Power On (High frequency)
 Working Voltage: 40A/250V
 Only high - frequency card into it can get power/frequency: 13.56 Mhz
 Other card is useless on it
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gold
 Size: 86mm x 86mm



D 20.691.022 25.000 VND

Square base
 Plastics: Carton/100 pcs
 Size: 75mm x 75mm x 50mm
 Color: Blue



D 95.691.03 16.000 VND

Square base
 Plastics: Carton/200 pcs
 Size: 75mm x 75mm x 50mm
 Color: Red

AURA VOLLBERG-GLAS Series: ultra-thin glass



D 80.0671 W 293.000 VND

1 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.672 W 310.000 VND

2 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.673 W 367.000 VND

3 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.674 W 455.000 VND

4 Gang 2 way Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.675 W 355.000 VND

1 Gang 2 way Switch
4 Pole Socket
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.6686 W 342.000 VND

Door Bell Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.676 W 335.000 VND

1 Gang Multi Control Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.644.03 458.000 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.6672/15.20A US W 365.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.6672/20.45A US W 450.000 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm

AURA VOLLBERG-GLAS Series: ultra-thin glass



D 80.642 W 305.000 VND

16A/250V
3 Pole multi Function Socket/Switch Lock
Copper Class: Phosphor Bronze
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.6512/3 W 375.000 VND

16A/250V
5 Pole multi Function Socket/Switch Lock
Copper Class: Phosphor Bronze
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.6611/4.02 345.000 VND

Schuko Socket Germany
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 6511.03 SI USB 565.000 VND

USB/Type C & 3 Pole Socket & Switch Lock
16A/250V - 3 Pole Socket
2.1A/5V USB/Type C
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.610.01 TV 310.000 VND

1 Tivi Socket
Impedance: 7 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Flatness in band ± 1.0 dB
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.610.02 TV 410.000 VND

2 Tivi Socket
Impedance: 7 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Flatness in band ± 1.0 dB
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.610.01 UAE/1-N 325.000 VND

1 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 95.610.02 UAE/2-N 535.000 VND

2 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.610.04 UAE/2-N 455.000 VND

Tivi & Tel Socket 395.000 VND
Impedance: 75 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Flatness in band ± 1.0 dB
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Glass: Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 80.610.03 UAE/2-N 455.000 VND

Tivi & Computer Socket
Tivi:
Impedance: 75 Ω
Insertion Loss: VHF < 3.5 dB
HUF < 5dB. Flatness in band ± 1.0 dB
Computer:
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500 m Ω
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm

AURA VOLLBERG-GLAS Series: ultra-thin glass



D 80.610.05 TAE NA 325.000 VND

1 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Glass: Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 80.610.06 - 2TAE NA 410.000 VND

2 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: $\geq 500\text{m}\Omega$
 Glass: Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 80.610.07 AT 310.000 VND

Blank Panel
 Glass: Box: 20 pcs - Carton: 200 pcs
 Color: Gray
 Size: 86mm x 86mm



D LS1000R RD100 AP 735.000 VND

360°-Grad-Bewegungssensor
 Working Voltage: 250V - 50Hz
 Load Power: Filamentlamp 500W, Fluorescentlamp,
 Electronic Fluorescentlamp 300W
 Delay time: 30S
 Plastics: PC - Box: 10 pcs - Carton: 100 pcs
 Color: Gray
 Size: 86mm x 86mm



D 80.610 ZJ W 465.000 VND

Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 80.610 ZJ 465.000 VND

Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 81.512 V K HN 683.000 VND

Insert Card for Power On
 Working Voltage: 30A/250V
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 81.516 V K HN 848.000 VND

Insert Card for Power On (High frequency)
 Working Voltage: 40A/250V
 Only high - frequency card into it can get power/frequency:
 13.56 Mhz
 Other card is useless on it
 Glass: Box: 6 pcs - Carton: 60 pcs
 Color: Gray
 Size: 86mm x 86mm



D 20.691.022 25.000 VND

Square base
 Plastics: Carton/100 pcs
 Size: 75mm x 75mm x 50mm
 Color: Blue



D 95.691.03 16.000 VND

Square base
 Plastics: Carton/200 pcs
 Size: 75mm x 75mm x 50mm
 Color: Red

PEHA[®]

Luxury

AURA GLASS - ANSPRUCHSVOLLES DESIGN

White Glass/ Gray/ Gold/ Black



Color

Aura

Glas Kombi-Rahmen

Aura[®] Glas Kombi-Rahmen



D 20.571.150.21 302.500 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.545.02 313.500 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.573.51.70 379.500 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.574.52.46 412.500 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.6511.02 OKS 313.500 VND

1 Gang 2 way Switch
2 Pole Socket
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.540.02 K 280.500 VND

Door Bell Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.540.02 T 379.500 VND

1 Gang Multi Control Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.544.02 451.000 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 635 RTR O20A 451.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 635 RTR O45A 500.500 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm

Aura Glas Kombi-Rahmen



B 20.6571.02 SI 291.500 VND

16A/250V
3 Pole multi Function Socket
Copper Class: Phosphor Bronze
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.6511.70 341.000 VND

16A/250V
5 Pole multi Function Socket
Copper Class: Phosphor Bronze
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.6511.70 NA 429.000 VND

Schuko Socket Germany
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.02 TDO 863.500 VND

USB/Type C & 5 Pole Socket
16A/250V - 5 Pole Socket
2.1A/5V USB/Type C
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm




D 20.610.70 TV 303.600 VND

1 Tivi Socket
Impedance: 7 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.02 TV 434.500 VND

2 Tivi Socket
Impedance: 7 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.02 MJ1 NA 313.500 VND

1 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.21 MJ2 NA 434.500 VND

2 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.02 LU/2 401.500 VND

1Tivi & Tel Socket
Impedance: 75 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm




D 20.610.70 MJ2 NA 401.500 VND

Tivi & Computer Socket
Tivi:
Impedance: 75 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Computer:
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.21 UAE/1 NA 341.000 VND

1 Telephone Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.02 UAE/1 NA 434.500 VND

2 Telephone Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm

Aura Glas Kombi-Rahmen



D 20.677.02 231.000 VND

Blank Panel
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D LS1000R RD100 AP 698.500 VND

360°-Grad-Bewegungssensor
Working Voltage: 250V - 50Hz
oad Power: Filamentlamp 500W. Fluorescentlamp,
Electronic Fluorescentlamp 300W
Delay time: 30S
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gray
Size: 86mm x 86mm



D 20.610.02 J 500.500 VND

Speed Control Switch
Working Voltage: 250V - 50Hz
Load Power: 30 - 400W
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gray
Size: 86mm x 86mm



D 20.810.02 HR 500.500 VND

Dimmer Control Switch
Working Voltage: 250V - 50Hz
Maximum Load Power: 700W
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gray
Size: 86mm x 86mm



D 20.556.02 HC GLK 1.375.000 VND

Insert Card for Power On
Working Voltage: 30A/250V
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gray
Size: 86mm x 86mm



D 20.556.70 HC GLK 1.490.500 VND

Insert Card for Power On (High frequency)
Working Voltage: 40A/250V
Only high - frequency card into it can get power/
frequency: 13.56 Mhz
Other card is useless on it
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gray
Size: 86mm x 86mm



D 20.691.022 25.000 VND

Square base
Plastics: Carton/100 pcs
Size: 83mm x 83mm x 43mm



D 95.691.03 16.000 VND

Square base
Plastics: Carton/200 pcs
Size: 83mm x 83mm x 43mm

Aura Glas Kombi-Rahmen



D 20.571.150.21 302.500 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm




D 20.545.02 313.500 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.573.51.70 379.500 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.574.52.46 412.500 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.6511.02 OKS 313.500 VND

1 Gang 2 way Switch
2 Pole Socket
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.540.02 K 280.500 VND

Door Bell Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.540.02 T 379.500 VND

1 Gang Multi Control Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.544.02 451.00 VND

2 Gang Curtain
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 635 RTR O20A 451.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 635 RTR O45A 500.500 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm

Aura Glas Kombi-Rahmen



B 20.6571.02 SI 291.500 VND

16A/250V
3 Pole multi Function Socket
Copper Class: Phosphor Bronze
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.6511.70 341.000 VND

16A/250V
5 Pole multi Function Socket
Copper Class: Phosphor Bronze
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.6511.70 NA 429.000 VND

Schuko Socket Germany
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.02 TDO 863.500 VND

USB/Type C & 5 Pole Socket
16A/250V - 5 Pole Socket
2.1A/5V USB/Type C
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.70 TV 303.600 VND

1 Tivi Socket
Impedance: 7 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.02 TV 434.500 VND

2 Tivi Socket
Impedance: 7 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.02 MJ1 NA 313.500 VND

1 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.21 MJ2 NA 434.500 VND

2 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm




D 20.610.02 LU/2 401.500 VND

1Tivi & Tel Socket
Impedance: 75 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.70 MJ2 NA 401.500 VND

Tivi & Computer Socket
Tivi:
Impedance: 75 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band \pm 1.0dB
Computer:
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.21 UAE/1 NA 341.000 VND

1 Telephone Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.02 UAE/1 NA 434.500 VND

2 Telephone Socket
Temperature: 30°C - 70°C
Insertion Resistance: \geq 500m Ω
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm

Aura Glas Kombi-Rahmen



D 20.677.02 231.00 VND

Blank Panel
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D LS1000R RD100 AP 698.500 VND

360°-Grad-Bewegungssensor
Working Voltage: 250V - 50Hz
oad Power: Filamentlamp 500W. Fiourescentlamp,
Electronic Fiourescentlamp 300W
Delay time: 30S
Glass - Box: 10 pcs - Carton: 100 pcs
Color: Gold
Size: 86mm x 86mm



D 20.610.02 J 500.500 VND

Speed Control Switch
Working Voltage: 250V - 50Hz
Load Power: 30 - 400W
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gold
Size: 86mm x 86mm



D 20.810.02 HR 500.500 VND

Dimmer Control Switch
Working Voltage: 250V - 50Hz
Maximum Load Power: 700W
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gold
Size: 86mm x 86mm



D 20.556.02 HC GLK 1.375.000 VND

Insert Card for Power On
Working Voltage: 30A/250V
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gold
Size: 86mm x 86mm




D 20.556.70 HC GLK 1.490.500 VND

Insert Card for Power On (High frequency)
Working Voltage: 40A/250V
Only high - frequency card into it can get power/
frequency: 13.56 Mhz
Other card is useless on it
Glass - Box: 6 pcs - Carton: 60 pcs
Color: Gold
Size: 86mm x 86mm



D 20.691.022 25.000 VND


Square base
Plastics: Carton/100 pcs
Size: 83mm x 83mm x 43mm



D 95.691.03 16.000 VND

Square base
Plastics: Carton/200 pcs
Size: 83mm x 83mm x 43mm

PEHA[®] Luxury
NOVA Aluminum 86 Series



NOVA Aluminum 86 Series

NOVA Aluminum 86 Series



D 20.542.022 GLK 159.500 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.542.192 GLK 201.300 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.542.702 GLK 236.500 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.532.022 GLK 272.800 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.6511.022 OKS 225.500 VND

1 Gang 2 way Switch
2 Pole Socket
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Socket Toggle: 20.000 times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.540.022 K 171.600 VND

Door Bell Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Socket Toggle: 20.000 times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.540.022 T 292.600 VND

1 Gang Multi Control Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 95.644.03 266.000 VND

2 Gang Curtain Switch
10A~16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.690.022 O.H 368.500 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.600.022 EMS 390.500 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Switch Structure: Seesaw-Toggle: 50.000 Times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

NOVA Aluminum 86 Series



D 20.6511.022 214.500 VND

16A/250V
3 Pole multi Function Socket
Copper Class: Phosphor Bronze
Toggle: 20.000 times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.6511.022 NA 231.000 VND

16A/250V
5 Pole multi Function Socket
Copper Class: Phosphor Bronze
Toggle: 20.000 times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 95.6511.19 NA 281.600 VND

Schuko Socket Germany
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Toggle: 20.000 times
Working Temperature: 30°C - 70°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 6511.02 SI USB 742.500 VND

USB/Type C & 5 Pole Socket
16A/250V - 5 Pole Socket
2.1A/5V USB/Type C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.610.022 TV 181.500 VND

1 Tivi Socket
Impedance: 7 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band ± 1.0dB
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.610.023 TV 363.000 VND

2 Tivi Socket
Impedance: 7 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band ± 1.0dB
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.610.022 MJ1 NA 184.800 VND

1 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500mΩ
Electrical Specification: ELA/TIABI
Connection Mode: T769A - T769B
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.610.023 MJ2 NA 369.600 VND

2 Computer Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500mΩ
Electrical Specification: ELA/TIABI
Connection Mode: T769A - T769B
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.620.703 TVTL 302.500 VND

Tivi & Tel Socket
Impedance: 75 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band ± 1.0dB
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500mΩ
Electrical Specification: ELA/TIABI
Connection Mode: T769A - T769B
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.610.702 MJ1 NA 302.500 VND

Tivi & Computer Socket
Tivi: Impedance: 75 Ω
"Insertion Loss: VHF < 3.5 dB"
HUF < 5dB. Flatness in band ± 1.0dB
Computer:
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500mΩ
Electrical Specification: ELA/TIABI
Connection Mode: T769A - T769B
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.610/2.022 KEY 181.500 VND

1 Telephone Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500mΩ
Electrical Specification: ELA/TIABI
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 20.610/2.023 KEY 369.600 VND

2 Telephone Socket
Temperature: 30°C - 70°C
Insertion Resistance: ≥ 500mΩ
Electrical Specification: ELA/TIABI
Connection Mode: T769A - T769B
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

NOVA Aluminum 86 Series



D 20.420.022 137.500 VND

Blank Panel
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D LS1000R RD100 AP 698.500 VND

360°-Grad-Bewegungssensor
Working Voltage: 250V - 50Hz
oad Power: Filamentlamp 500W. Fiuorescentlamp, Electronic Fiuorescentlamp 300W
Delay time: 30S
"Static Power: < 0,6W"
Light sensitive environment: Daybreak/Nightfall/Evening
Range: Lebel angel 120°C
Aluminum - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



D 95.810.02 HR AL 357.500 VND

Speed Control Switch
Working Voltage: 250V - 50Hz
Load Power: 30 - 400W
Minium Staring Voltage: 90 - 120V
Load can be connected: Ceiling fan
New connect the zero line
Aluminum - Box: 6 pcs - Carton: 60 pcs
Size: 86mm x 86mm



D 95.810.03 HR AL 357.500 VND

Dimmer Control Switch
Working Voltage: 250V - 50Hz
Maximum Load Power: 700W
Maximum Staring Voltage: 15 - 40V
Only for filament Lamp
Aluminum - Box: 6 pcs - Carton: 60 pcs
Size: 86mm x 86mm



D 95.556.02 HC AL 698.500 VND

Insert Card for Power On
Working Voltage: 30A/250V
Aluminum - Box: 6 pcs - Carton: 60 pcs
Size: 86mm x 86mm



D 95.556.70 HC AL 1.042.800 VND

Insert Card for Power On (High frequency)
Working Voltage: 40A/250V
Only high - frequency card into it can get power/
frequency: 13,56 Mhz
Other card is useless on it
Aluminum - Box: 6 pcs - Carton: 60 pcs
Size: 86mm x 86mm



D 20.691.022 25.000 VND

Square base
Plastics: Carton/100 pcs
Size: 83mm x 83mm x 43mm



D 95.691.03 16.000 VND

Square base
Plastics: Carton/200 pcs
Size: 83mm x 83mm x 43mm

PEHA®

Luxury

SWITCH & SOCKET 24K GOLD PLATED



BADORA classic aristocratic pattern

BADORA classic aristocratic pattern



S 20.820.01A 1.510.000 VND

1 Gang 1 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.821.02A 1.689.000 VND

2 Gang 1 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

S 20.820.01B 1.655.000 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

S 20.821.02B 1.765.000 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.822.03A 1.876.000 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.823.04A 1.910.000 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

S 20.822.03B 1.899.000 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm


S 20.823.04B 2.350.000 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.824.03 LS 1.545.000 VND

16A/250V
3 Pole socket/ Swirch Lock/led
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.824.05 LK 1.756.000 VND

16A/250V
5 Pole multi Function Socket
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.825.02 SCK 1.610.000 VND

Schuko Socket
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.826.03 USB 1.895.000 VND

USB & 3 Pole Socket
2.1A/5V USB
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.827.20A 1.765.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



S 20.828.45A 1.868.000 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

BADORA classic aristocratic pattern



S 20.829.01 TV 1.610.000 VND

1 Tivi Socket
 Impedance: 7 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



S 20.830.01 PC 1.735.000 VND

1 Computer Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



S 20.831.01 TL 1.735.000 VND

1 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



S 20.832.02 TVPC 1.956.000 VND

Tivi & Computer Socket
Tivi:
 Impedance: 75 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
Computer:
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



S 20.833.01 SPQ 1.834.000 VND

Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



S 20.834.01 DMD 1.834.000 VND

Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



S 20.835.05 SW 3.100.000 VND

5 Gang 1 way Switch
 16A/250V
 Contact Point Silver 0.35mm - Purple Copper:
 65% Cu
 Copper: PC - Box: 5 pcs - Carton: 50 pcs
 Size: 172mm x 86mm



S 20.836.05 SCK 3.523.000 VND

5 Pole Socket/Switch Lock
 16A/250V
 Copper Class: Phosphor Bronze
 Copper: PC - Box: 5 pcs - Carton: 50 pcs
 Size: 172mm x 86mm



D 20.691.022 25.000 VND

Square base
 Plastics: Carton/100 pcs
 Size: 83mm x 83mm x 43mm



D 95.691.03 16.000 VND

Square base
 Plastics: Carton/200 pcs
 Size: 83mm x 83mm x 43mm

PEHA®
Luxury
SWITCH & SOCKET 24K GOLD PLATED



BADORA gold plated swan

BADORA gold plated swan



H 115.610.01A 1.455.000 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.611.02A 1.690.000 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

H 115.610.01B 1.589.000 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm


H 15.611.02B 1.758.000 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.612.03A 1.875.000 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.613.04A 1.898.000 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

H 15.612.03B 1.910.000 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm


H 15.613.04B 2.110.000 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.614.03 LS 1.589.000 VND

16A/250V
3 Pole socket/ Swirch Lock/led
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.615.05 LK 1.710.000 VND

16A/250V
5 Pole multi Function Socket
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.616.02 SCK 1.510.000 VND

Schuko Socket
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.617.03 SI USB 1.625.000 VND

USB & 3 Pole Socket
2.1A/5V USB
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.618.20A 1.636.000 VND


20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



H 15.619.45A 1.745.000 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

BADORA gold plated swan



H 15.620.01 TV 1.458.000 VND

1 Tivi Socket
 Impedance: 7 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



H 15.621.01 PC 1.550.000 VND

1 Computer Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



H 15.622.01 TL 1.550.000 VND

1 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



H 15.6623.02 TVPC 1.675.000 VND

Tivi & Computer Socket
Tivi:
 Impedance: 75 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
Computer:
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



H 15.624.01 SP 1.635.000 VND

Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



H 15.625.01 DM 1.635.000 VND

Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



H 15.626.05 SW 3.450.000 VND

5 Gang 1 way Switch
 16A/250V
 Contact Point Silver 0.35mm - Purple Copper:
 65% Cu
 Copper: PC - Box: 5 pcs - Carton: 50 pcs
 Size: 172mm x 86mm



H 15.627.05 SCK 3.356.000 VND

5 Pole Socket/Switch Lock
 16A/250V
 Copper Class: Phosphor Bronze
 Copper: PC - Box: 5 pcs - Carton: 50 pcs
 Size: 172mm x 86mm



D 20.691.022 25.000 VND

Square base
 Plastics: Carton/100 pcs
 Size: 83mm x 83mm x 43mm



D 95.691.03 16.000 VND

Square base
 Plastics: Carton/200 pcs
 Size: 83mm x 83mm x 43mm

PEHA®

Luxury

SWITCH & SOCKET 24K GOLD PLATED



BADORA aristocratic zigzag

BADORA aristocratic zigzag



K 12.540.01A 1.350.000 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.541.02A 1.398.000 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

K 12.540.01B 1.385.000 VND

1 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

K 12.541.02B 1.450.000 VND

2 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.542.03A 1.545.000 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.543.04A 1.610.000 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

K 12.542.03B 1.565.000 VND

3 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

K 12.543.04B 1.657.000 VND

4 Gang 2 way Switch
16A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.6511.03 1.410.000 VND

16A/250V
3 Pole socket/ Swirch Lock/led
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.6512.05 1.489.000 VND

16A/250V
5 Pole multi Function Socket
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.6513.02 1.475.000 VND

Schuko Socket
16A/250V - 2 Pole Socket
Copper Class: Phosphor Bronze
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.6514.03 SI USB 1.675.000 VND

USB & 3 Pole Socket
2.1A/5V USB
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.6515.20A 1.450.000 VND

20A Switch
20A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



K 12.6515.20A 1.510.000 VND

45A Switch
45A/250V
Contact Point Silver 0.35mm - Purple Copper: 65% Cu
Copper: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm

BADORA aristocratic zigzag



K 12.6517.01 TV 1.410.000 VND

1 Tivi Socket
 Impedance: 7 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



K 12.6518.01 CP 1.489.000 VND

1 Computer Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



K 12.6519.01 TL 1.489.000 VND

1 Telephone Socket
 Temperature: 30°C - 70°C
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



K 12.6520.TVCP 1.689.000 VND

Tivi & Computer Socket
Tivi:
 Impedance: 75 Ω
 "Insertion Loss: VHF < 3.5 dB"
 HUF < 5dB. Flatness in band ± 1.0dB
Computer:
 Insertion Resistance: ≥ 500mΩ
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



K 12.6521.01 1.510.000 VND

Speed Control Switch
 Working Voltage: 250V - 50Hz
 Load Power: 30 - 400W
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



K 12.6522.01 1.510.000 VND

Dimmer Control Switch
 Working Voltage: 250V - 50Hz
 Maximum Load Power: 700W
 Copper: PC - Box: 10 pcs - Carton: 100 pcs
 Size: 86mm x 86mm



K 12.6523.05 2.587.000 VND

5 Gang 1 way Switch
 16A/250V
 Contact Point Silver 0.35mm - Purple Copper:
 65% Cu
 Copper: PC - Box: 5 pcs - Carton: 50 pcs
 Size: 172mm x 86mm



K 12.6524.0302 2.845.000 VND

5 Pole Socket/Switch Lock
 16A/250V
 Copper Class: Phosphor Bronze
 Copper: PC - Box: 5 pcs - Carton: 50 pcs
 Size: 172mm x 86mm



D 20.691.022 25.000 VND

Square base
 Plastics: Carton/100 pcs
 Size: 83mm x 83mm x 43mm



D 95.691.03 16.000 VND

Square base
 Plastics: Carton/200 pcs
 Size: 83mm x 83mm x 43mm



2fach-Kombination mit Taster und Steckdose SCHUKO®


**AURA Stein – die erste Wahl für alle,
die das Außergewöhnliche suchen.**



Estremoz
3.650.000 VND



Padang Hellgrau
3.895.000 VND



Nero Assulto India
4.210.000 VND



Bianco Carrara CD
3.945.000 VND



Labrador Bluepearl
5.120.000 VND



Ổ CẮM THANH RAY NỔ

HÌNH ẢNH	MODEL	THÔNG SỐ KỸ THUẬT	KÍCH THƯỚC	MÀU SẮC	GIÁ
	PH-X01-400	Aluminium Power Track: Rated Power:8000W Input Voltage:Max 250V 50/60Hz Ampere:32A IP Grade:IP20	86(Width) x 17.7(Thickness) x 400mm (Length)	Gray	1.200.000
				Black	1.250.000
	PH-X01-600	Aluminium Power Track: Rated Power:8000W Input Voltage:Max 250V 50/60Hz Ampere:32A IP Grade:IP20	86(Width) x 17.7(Thickness) x 600mm (Length)	Gray	1.825.000
				Black	1.890.000
	PH-X01-800	Aluminium Power Track: Rated Power:8000W Input Voltage:Max 250V 50/60Hz Ampere:32A IP Grade:IP20	86(Width) x 17.7(Thickness) x 800mm (Length)	Gray	2.350.000
				Black	2.435.000
	PH-X01-3U	Rotary MF 3Pin socket: Input Voltage:Max 250V Ampere:16A Dimension: Ø65.2x41.7mm House Material:PC	Light Blue or Red 	White	475.000
				Black	475.000
	PH-X01-AA	Rotary Double USB socket (10W): Input:100V-250V 50/60Hz OutPut:DC5V / 2100mA (Max) Dimension:Ø65.2x41.7mm House Material:PC	Light Blue or Red 	White	1.050.000
				Black	1.050.000
	PH-X01-AC	Rotary USB & Type C socket (20W): Input:100V-250V 50/60Hz USB OutPut:DC5V / 3100mA (Max) Type C OutPut Adaptation Automatically: DC5V/3A or DC9V/2.22A or 12V/1.67A (Max) Dimension:Ø65.2x41.7mm House Material:PC	Light Blue or Red 	White	1.200.000
				Black	1.200.000



Ổ CẮM THANH RAY ÂM BÀN

HÌNH ẢNH	MODEL	THÔNG SỐ KỸ THUẬT	KÍCH THƯỚC	MÀU SẮC	GIÁ
	PH-X02-400	Aluminium Power Track: Rated Power:8000W Input Voltage:Max 250V 50/60Hz Ampere:32A IP Grade:IP20	86(Width) x 18.7(Thickness) x 400mm (Length)	Gray	1,300,000
				Black	1,300,000
	PH-X02-600	Aluminium Power Track: Rated Power:8000W Input Voltage:Max 250V 50/60Hz Ampere:32A IP Grade:IP20	86(Width) x 18.7(Thickness) x 600mm (Length)	Gray	1,950,000
				Black	1,950,000
PH-X02-800	Aluminium Power Track: Rated Power:8000W Input Voltage:Max 250V 50/60Hz Ampere:32A IP Grade:IP20	86(Width) x 18.7(Thickness) x 800mm (Length)	Gray	2,635,000	
			Black	2,635,000	
PH-X02-1000	Aluminium Power Track: Rated Power:8000W Input Voltage:Max 250V 50/60Hz Ampere:32A IP Grade:IP20	86(Width) x 18.7(Thickness) x 1000mm (Length)	Gray	3,250,000	
			Black	3,250,000	
	PH-X01-3U	Rotary MF 3Pin socket: Input Voltage:Max 250V Ampere:16A Dimension: Ø65.2x41.7mm House Material:PC	Light Blue or Red 	White Black	475.000 475.000
	PH-X01-AA	Rotary Double USB socket (10W): Input:100V-250V 50/60Hz OutPut:DC5V / 2100mA (Max) Dimension:Ø65.2x41.7mm House Material:PC	Light Blue or Red 	White	1.050.000
				Black	1.050.000
	PH-X01-AC	Rotary USB & Type C socket (20W): Input:100V-250V 50/60Hz USB OutPut:DC5V / 3100mA (Max) Type C OutPut Adaptation Automatically: DC5V/3A or DC9V/2.22A or 12V/1.67A (Max) Dimension:Ø65.2x41.7mm House Material:PC	Light Blue or Red 	White	1.200.000
				Black	1.200.000



PEHA - FLOOR RECEPTACLE

 <p>Q8-PH-006 1.150.000 VND</p> <p>6 pole socket Planel material:100% Brass Open type:Slow Pop-up Color: Gray</p> <p>Ổ CẮM ÂM SÀN 6 CHẤU - GHI XÁM</p>	 <p>Q8-PH-006 1.285.000 VND</p> <p>66 pole socket Planel material:100% Brass Open type:Slow Pop-up Color: Gold</p> <p>Ổ CẮM ÂM SÀN 6 CHẤU - VÀNG GOLD</p>
 <p>Q8-PH-003PC 1.150.000 VND</p> <p>3 pole socket + Computer Planel material:100% Brass Open type:Slow Pop-up Color: Gray</p> <p>Ổ CẮM ÂM SÀN 3 CHẤU + INTERNET - GHI XÁM</p>	 <p>Q8-PH-003PC 1,285,000 VND</p> <p>3 pole socket + Computer Planel material:100% Brass Open type:Slow Pop-up Color: Gold</p> <p>Ổ CẮM ÂM SÀN 3 CHẤU + INTERNET - VÀNG GOLD</p>
 <p>Q8-PH-001PC 1.050.000 VND</p> <p>1 Computer socket Planel material:100% Brass Open type:Slow Pop-up Color: Gray</p> <p>Ổ CẮM INTERNET ĐƠN - GHI XÁM</p>	 <p>Q8-PH-001PC 1.245.000 VND</p> <p>1 Computer socket Planel material:100% Brass Open type:Slow Pop-up Color: Gold</p> <p>Ổ CẮM INTERNET ĐƠN - VÀNG GOLD</p>
 <p>Q8-PH-002PC 1.150.000 VND</p> <p>2 Computer socket Planel material:100% Brass Open type:Slow Pop-up Color: Gray</p> <p>Ổ CẮM INTERNET ĐÔI - GHI XÁM</p>	 <p>Q8-PH-002PC 1.285.000 VND</p> <p>2 Computer socket Planel material:100% Brass Open type:Slow Pop-up Color: Gold</p> <p>Ổ CẮM INTERNET ĐÔI - VÀNG GOLD</p>

PEHA[®] Smart Living

CÔNG TẮC MÀN HÌNH CẢM ỨNG LCD


Smart home PEHA Germany



CÔNG NGHỆ KHÔNG DÂY WIFI MESH

NOVA elements glass

Smart home system WIFI MESH



CÔNG TẮC CẢM ỨNG MÀN HÌNH LCD WIFI MESH



Ổ CẮM ĐA NĂNG



**CÔNG TẮC CẢM ỨNG
MÀN HÌNH LCD 1-2-3-4**



**CÔNG TẮC CẢM ỨNG
MÀN HÌNH LCD 1-2-3-4**



- Màu: Màu đen
- Hình dáng: Hình vuông/ Hình chữ nhật
- Kết nối không dây: WIFI MESH
- Thiết kế sử dụng công nghệ cảm ứng điện dung
- Màn hình cảm ứng LCD, mặt kính cường lực chống xước
- Bật tắt đèn, hẹn giờ, thay đổi giao diện màn hình LCD.
- Có thể điều khiển thiết bị bằng giọng nói thông qua việc tích hợp Google Assistant, Alexa, Apple Siri
- An toàn, chống cháy nổ



CÔNG TẮC RÈM THÔNG MINH

- Màu: Màu đen
- Hình dáng: Hình vuông/ Hình chữ nhật
- Kết nối không dây: WIFI MESH
- Thiết kế sử dụng công nghệ cảm ứng điện dung
- Màn hình cảm ứng LCD, mặt kính cường lực chống xước
- Điều khiển từ xa thông qua internet/ mạng LAN trong nhà
- Có thể điều khiển thiết bị bằng giọng nói thông qua việc tích hợp Google Assistant, Alexa, Apple Siri
- An toàn, chống cháy nổ



**CÔNG TẮC RÈM
CẢM ỨNG MÀN HÌNH LCD**

PRODUCT PARAMETERS	
SIZE:	86×86MM/120×74MM
ITEM NO:	HS
WEIGHT:	0.3KG
PACKING BOX SIZE:	102.6MM*141MM*51.1MM
PANEL:	TEMPERED CRYSTAL GLASS
BOTTOM MATERIALS:	RETARDANT PC
RATED VOLTAGE:	AC 100-250V 50/60HZ
RATED LOAD:	200W
LOAD TYPE:	INCANDESCENT LAMP ENERGY SAVING LAMP, FLUORESCENT
WIRELESS STANDARDS:	IEEE 802.15.4
FREQUENCY RANGE:	2.405GHZ~2.480GHZ
RECEIVING SENSITIVITY:	-97DBM@250KBPS
OPERATING TEMPERATURE:	-25 DEGREE TO +60 DEGREE
RELATIVE HUMIDITY:	<95%



DIMMER CHIẾT ÁP ĐÈN

Điều chỉnh độ sáng đèn chùm, đèn ngủ. Sử dụng công nghệ kết nối không dây Wifi Mesh màn hình cảm ứng LCD điện dung, mặt kính cường lực, chống xước, chống va đập, cho phép điều chỉnh độ sáng trên điện thoại, máy tính bảng, sang trọng và đẳng cấp.

LOREM IPSUM	
SIZE:	86×86MM/120×74MM
ITEM NO:	HD
WEIGHT:	0.3KG
PACKING BOX SIZE:	102.6MM*141MM*51.1MM
PANEL:	CAPACITIVE TOUCH SCREEN
BOTTOM MATERIALS:	RETARDANT PC
RATED VOLTAGE:	AC 100-250V 50/60HZ
RATED LOAD:	100W
LOAD TYPE:	INCANDESCENT LAMP, LED LAMP
WIRELESS STANDARDS:	IEEE 802.11B/G/N
FREQUENCY RANGE:	2.405GHZ~2.480GHZ
RECEIVING SENSITIVITY:	-97DBM@250KBPS
OPERATING TEMPERATURE:	-25 °C +60 °C
RELATIVE HUMIDITY:	<95%



**CÔNG TẮC ĐIỀU CHỈNH ÁNH SÁNG
CẢM ỨNG MÀN HÌNH LCD**

TV

Easy Control
Present the
Smart Home
Horizon Here



BỘ ĐIỀU KHIỂN HỒNG NGOẠI



BỘ ĐIỀU KHIỂN HỒNG NGOẠI

PRODUCT PARAMETERS

SIZE:	105X105X27MM
ITEM NO:	HR
WEIGHT:	0.3KG
PACKING BOX SIZE:	170×135×47MM
MATERIALS:	ABS
RATED VOLTAGE:	DC 5V
STANDBY POWER:	0.5W
LOAD TYPE:	ALL APPLIANCES WITH INFRARED REMOTE
WIRELESS STANDARDS:	IEEE 802.11B/G/N
FREQUENCY RANGE:	2.405GHZ~2.480GHZ
RECEIVING SENSITIVITY:	-97DBM@250KBPS
OPERATING TEMPERATURE:	-25 °C +60°C
RELATIVE HUMIDITY:	<95%

CONTROL AC

EASY CONTROL PRESENT THE
SMART HOME HORIZON HERE



CONTROL SOUND SYSTEM

CONTROL HOME AUDIO
AND ENJOY DIFFERENT CONVENIENCES

BỘ ĐIỀU KHIỂN HỒNG NGOẠI WIFI PEHA-SMART

Bộ điều khiển hồng ngoại PEHA-Smart sẽ điều khiển tất cả các thiết bị trong nhà của bạn qua 1 ứng dụng trên điện thoại. Chỉ cần có kết nối Wifi bạn có thể điều khiển căn nhà của bạn ở bất cứ đâu. Tiết kiệm chi phí điện hàng tháng và quản lí ngôi nhà một cách thông minh. Sử dụng thông qua ứng dụng PEHA-Smart living.



BẬT/ TẮT BÌNH NÓNG LẠNH THÔNG MINH

Bật/ tắt bình nóng lạnh bằng smartphone

Nằm trong bộ giải pháp toàn diện nhà thông minh PEHA Germany, chủ nhà không cần phải bật/ tắt trực tiếp bình nóng lạnh tại vị trí công tắc. Chỉ cần điện thoại được cài đặt app Smart Living, chủ nhà có thể dễ dàng bật bình nóng lạnh ở nhà ngay cả khi đang ở nơi làm việc.

Điều khiển bằng giọng nói

Tích hợp các trợ lý ảo Google Assistant, Amazon Alexa, Siri, chức năng điều khiển bằng giọng nói sẽ trở nên vô cùng có ích khi bạn đang dở tay làm bếp ở tầng 1 mà vẫn muốn bật bình nóng lạnh ở tầng 2, tầng 3 chỉ với nói "Hey Siri! Turn on the water heater."

Hẹn giờ bật/ tắt bình nóng lạnh

Nếu gia đình bạn có thói quen sinh hoạt theo cố định, bạn hoàn toàn có thể sử dụng tính năng hẹn giờ để luôn có nước ấm mỗi khi cần mà vẫn tiết kiệm điện năng. Ví dụ, nếu gia đình có thói quen tắm vào buổi sáng lúc 6h15, bạn có thể cài đặt bật bình nóng lạnh vào 5h45 mỗi sáng và tự động tắt vào 6h45.



**CÔNG TẮC BÌNH NÓNG LẠNH
CẢM ỨNG MÀN HÌNH LCD**

SMART LIVING

PEHA®



CÔNG TẮC QUẠT THÔNG MINH LCD WIFI MESH



**CÔNG TẮC QUẠT
CẢM ỨNG MÀN HÌNH LCD**

*Với công nghệ WiFi MESH tiên tiến nhất
PEHA Smart Living phục vụ cuộc sống hiện đại của bạn*

Là công tắc sử dụng cho nhà thông minh Smarthome công nghệ màn hình cảm ứng LCD điện dung, mặt kính cường lực, chống xước, chống va đập, tinh tế và sang trọng. Tích hợp điều khiển từ xa không dây qua Smartphone sử dụng sóng Wifi mesh điều khiển bật/tắt, tăng/giảm tốc độ các loại quạt trần và quạt treo tường thay vì phải vận nạm chiết áp theo kiểu cổ điển dễ dàng biến quạt trần thường của bạn thành quạt trần điều khiển từ xa.



LED DÂY 16 TRIỆU MÀU RGBW WIFI MESH




**BỘ LED DÂY 16 TRIỆU MÀU
RGBW WIFI MESH**

- Nếu bạn dùng làm đèn hắt trần thạch cao, trang trí hành lang, cây cảnh (độ dài trên 10 mét) nên chọn loại 220v để dài không bị giảm sáng, công suất sáng cao. Loại này bộ điều khiển đã tích hợp nguồn nên không cần mua nguồn thêm, chỉ cần bộ dk + dây LED. Loại này tích hợp micro nhạy theo nhạc và Remote chỉnh tay, dây LED có thể kéo 50 - 100 mét mà không bị giảm sáng.

- Nếu bạn trang trí tủ kệ, bàn học, tủ bếp dưới 10 mét có thể chọn các loại điều khiển và LED 12V.

Với công nghệ không dây kết nối Wifi Mesh sản phẩm dùng ổn định . Đây là bộ điều khiển app Smart Living dùng để điều khiển LED 16 triệu màu RGB.

Ứng dụng trong đèn trang trí, đèn hắt trần, sofa, kệ tivi, trần thạch cao v.v...



CẢM BIẾN CHUYỂN ĐỘNG 360°



CẢM BIẾN HIỆN DIỆN 360°



CẢM BIẾN CHUYỂN ĐỘNG 360°



CẢM BIẾN HIỆN DIỆN 360°

SPECIFICATION	
RATED VOLTAGE	120-277VAC 50/60HZ
STAND-BY POWER	<1.0W
LOAD CAPACITY	800W (INDUCTIVE), 1000W (RESISTIVE)
DETECTING TECHNOLOGY	MOVEMENT/MINOR MOTION/BREATHING/DAYLIGHT HARVESTING
WORKING MODE	10S(±3S) TO 7MINS(±2MINS)(ADJUSTABLE)
OPERATING FREQUENCY	50/60HZ
TRANSMITTING POWER	MAX.1200W(220-240V/AC)(INCANDESCENT LAMP)
HOLD TIME	5S~30MIN
STAND-BY DIM LEVEL	10%/20%/30%/50%
STAND-BY PERIOD	0S~30MIN
DETECTION AREA	100%/75%/50%/25%
DAYLIGHT HARVESTING	<3LUX~2000LUX(ADJUSTABLE)
CUT SIZE	60-75MM
OPERATING TEMPERATURE	-25~50°C
IP RATING	IP20

SPECIFICATION	
RATED VOLTAGE	120-277VAC 50/60HZ
STAND-BY POWER	<1.0W
LOAD CAPACITY	800W (INDUCTIVE), 1000W (RESISTIVE)
DETECTING TECHNOLOGY	MOVEMENT/MINOR MOTION/BREATHING/DAYLIGHT HARVESTING
WORKING MODE	ON-OFF / STEP DIMMING
OPERATING FREQUENCY	5.8 GHZ ±75 MHZ, ISM BAND
TRANSMITTING POWER	0.5MW MAX.
HOLD TIME	5S~30MIN
STAND-BY DIM LEVEL	10%/20%/30%/50%
STAND-BY PERIOD	0S~30MIN
DETECTION AREA	100%/75%/50%/25%
DAYLIGHT HARVESTING	0-2000LUX
CUT SIZE	70-80MM
OPERATING TEMPERATURE	-25~50°C
IP RATING	IP20

Hoàn thiện hệ thống liên lạc video TCP/IP thông minh cho biệt thự hoặc căn hộ



Cuộc gọi thoại hai chiều



CHUÔNG HÌNH



MÀN HÌNH ĐIỀU KHIỂN TRUNG TÂM

Mẫu	96103
Chất liệu	Kim loại
Kích thước	270*180*24.4mm
Màn hình hiển thị	Màn hình cảm ứng kính IPS MIPI 10.1 Inch đầy đủ màu sắc
Độ phân giải màn hình	1920 x 1080
Menu Style	3 loại Menu được cá nhân hóa
APP	Smart Life
Bộ nhớ	1TB.max, not included
Đầu vào Video	AHD
Nén Video	H.265
Đầu vào âm thanh	Micro đa hướng tích hợp
Đầu ra âm thanh	Loa tích hợp
Chất lượng âm thanh	Ức chế tiếng ồn và khử tiếng vang
Giao diện 4 dây	<ul style="list-style-type: none"> • 1 -ch Video đầu vào, • 1 -ch Audio đầu vào/đầu ra, • 1 -ch nguồn vào, • 1 -ch tiếp địa

Màn hình căn hộ thế hệ 2 kích thước 7 inch - Độ phân giải 1024 x 600 - Giao diện thiết kế thân thiện với người dùng - Xem trực tiếp hình ảnh nút ấn và liên kết với camera - Tích hợp Mic và loa

- Điều khiển trung tâm hệ thống ánh sáng
- Bộ điều khiển trung tâm kích thước 7 inch
- Độ phân giải 1024x600
- Hỗ trợ kết nối mạng Lan 8 dây
- Báo động khi phát hiện có người xâm nhập
- Điều khiển hệ thống đèn trong gia đình
- Kết nối cuộc gọi nội bộ
- Xem trực tiếp hình ảnh nút ấn liên kết với camera

SMART LIVING



Ổ CẮM THÔNG MINH



KHÓA THÔNG MINH



HỆ THỐNG TƯỚI CÂY TỰ ĐỘNG

Hệ thống cảnh báo có thể kết nối nhiều máy dò không dây khác nhau

Chỉ hỗ trợ 433 máy dò không dây,
Mỗi vùng có thể được kết nối với tối đa 4 máy dò



Nút Chuông Không Dây



Cảm Biến Cửa Không Dây



Báo Khói Không Dây




Cảm Biến Khi Gas



Cảm Biến Chuyển Động Không Dây



Điều Khiển Từ Xa



Cảm Biến Chùm Tia

NOVA elements glass



D 80.571.03 3.245.000 VND

LCD Smart 1-2-3 gang touch/curtains
 LCD 5 in 1 Smart Light Switch
 AC: 110/250V - 50/60Hz
 Load: 700W/output
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 80.574.03 3.298.900 VND

LCD Smart 4 gang touch
 AC: 110/250V - 50/60Hz
 Load: 700W/output
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 814 JS REINWEISS 3.298.900 VND

LCD Smart water heater
 AC: 110/250V - 50/60Hz
 Load: 16A-20A
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 80.610 V HR 3.298.900 VND

LCD Smart adjusts brightness
 AC: 110/250V - 50/60Hz
 Load: 700W/output
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 80.244 JR W 3.298.900 VND

LCD Smart opens rolling doors
 AC: 110/250V - 50/60Hz
 Load: 700W/output
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 80.240 T JR W 3.298.900 VND

LCD Smart opens the gate
 AC: 110/250V - 50/60Hz
 Load: 700W/output
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 20.540.022 T 3.298.900 VND

LCD Smart fan Switch
 2 in 1 Smart light/LCD fan switch
 AC: 110/250V - 50/60Hz
 Load: 700W/output
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 80.6511 W 1.705.000 VND

Smart socket
 AC: 110/250V - 50/60Hz
 Wattage: 16A/250V - 50/60Hz
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Panel: Tempered Crystal Glass
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 20.6511.022 3.410.000 VND

LCD Smart alarm Switch
 16A/250V
 AC: 110/250V - 50/60Hz
 200W, Light 200W 433 wireless probe, lighting
 IEEE 802.11b/g/n
 2.4G, 433Mhz
 Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
 Size: 86mm x 86mm



D 80.610 HR W 3.298.900 VND

Infrared set
 Wattage: 5W
 Load: 0,5W
 Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
 Working Temperature: 25°C - 60°C
 Plastics: PC - Box: 1 pcs - Carton: 10 pcs
 Size: 105mm x 105mm x 27mm

NOVA elements glass



D 80.571.03 3.245.000 VND

LCD Smart 1-2-3 gang touch/curtains
LCD 5 in 1 Smart Light Switc
AC: 110/250V - 50/60Hz
Load: 700W/output
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 80.574.03 3.298.900 VND

LCD Smart 4 gang touch
AC: 110/250V - 50/60Hz
Load: 700W/output
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 814 JS REINWEISS 3.298.900 VND

LCD Smart water heater
AC: 110/250V - 50/60Hz
Load: 16A-20A
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 80.610 V HR 3.298.900 VND

LCD Smart adjusts brightness
AC: 110/250V - 50/60Hz
Load: 700W/output
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 80.244 JR W 3.298.900 VND

LCD Smart opens rolling doors
AC: 110/250V - 50/60Hz
Load: 700W/output
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 80.240 T JR W 3.298.900 VND

LCD Smart opens the gate
AC: 110/250V - 50/60Hz
Load: 700W/output
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 20.540.022 T 3.298.900 VND

LCD Smart fan Switch
2 in 1 Smart light/LCD fan switch
AC: 110/250V - 50/60Hz
Load: 700W/output
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 80.6511 W 1.705.000 VND

Smart socket
AC: 110/250V - 50/60Hz
Wattage: 116A/250V - 50/60Hz
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



D 20.6511.022 3.410.000 VND

LCD Smart alarm Switch
16A/250V
AC: 110/250V - 50/60Hz
Load: 700W/output
Connect to Wifi Mesh - 2.405GHZ ~ 2.480GHZ
Panel: Tempered Crystal Glass
Plastics: Glass + PC - Box: 1 pcs - Carton: 50 pcs
Size: 86mm x 86mm



L8-PAC1 11.055.000 VND

2nd generation apartment screen size 7 inches - Resolution
Resolution 1024 x 600 - Friendly design interface
User - View live button and contact images
Connect to camera - Integrated Mic and speaker
Central control of the lighting system
7-inch central controller
1024x600 resolution
Supports 8-wire Lan network connection
Alarm when detecting an intruder
Control the lighting system in the home
Connect to internal calls
View directly the image of the button linked to the camera

NOVA elements glass



94224-IC - AHD1080 3.750.000 VND

Wide-Angle AHD1080P/2MP/call panel
With IR Cut, Angle148°
With Night vision, infrared LED 5PCS
Waterproof IP65
Support Set intercom Volume
Suitable for different electronic lock
Aluminum Alloy Case
Support switch signal from 1080P-720P-CVBS



94220-N - AHD1080 4.500.000 VND

Wide-Angle AHD1080P/2MP/call panel
With IR Cut, Angle148°
With Night vision, infrared LED 5PCS
Waterproof IP65
With Exit Button Function
Support Set intercom Volume
Suitable for different electronic lock
Aluminum Alloy Case
Support switch signal from 1080P-720P-CVBS
With IC card + Password unlock function



95111HP 9.875.000 VND

10.1 inch Capacitive Glass Touch Screen
2.4G Wifi connect to internet, support Android & iOS
3 different styles UI menu for selection
8 languages are available for different markets
AHD/TVI/CVI /CVBS video input
Support max.128G SD Card
Talking/Unlock/Monitoring/Internal calling /
Transfer calling/ leave voice message
Home/Not at home/ Dormant mode
Motion detection record for 4 channel
Support 6 indoor monitors, 2 call panel, 3Locks and 2 cameras



95703HP 8.910.000 VND

7inch Capacitive Touch Screen
2.4G Wifi connect to internet, support Android & iOS
3 different styles UI menu for selection
8 languages are available for different markets
AHD/TVI/CVI /CVBS video input
Support max.128G SD Card
Talking/Unlock/Monitoring/Internal calling /
Transfer calling/ leave voice message
Home/Not at home/ Dormant mode
Motion detection record for 4 channel
Support 6 indoor monitors, 2 call panel, 3Locks and 2 cameras



PH-LA-AC6 1.650.000 VND

Ptz IP camera for wireless home monitoring
Size: 115*80mm
Viewing angle: 360° / 180°
Resolution: 1920*1080
Input voltage: DC 5V
IMAGE SENSOR: HD720PH / 960PH / 1080PH
STORAGE MEDIA: Micro SD (UP TO 128G)
Plastics: PC - Box: 1 pcs - Carton: 10 pcs



PH - L8-HLS 1.650.000 VND

"Name: RGB Light Strip Lumen/Luminous Flux
20Lm/PCS"
Model: L8-HLS
Working Temperature: -26°C-65°C
Power: 60W
Lamp beads size: 5050
Working Voltage: DC12V
Light strip size: 5M*300PCS*2
dapter type: UK type, EU type, US type, AU type



L8 - HK4 15.500.000 VND

Product name: WIFI Fingerprint smart door lock
Product model: L8-HK4
Power type: DC 5V
Working current: DC 5V,open & close 20,000
times regularly
Battery type: 4 AA battery
Material: Zinc alloy
Apply range: Wooden door/Steel door/Copper door/
Composite door/Anti-theft door
Function: Fingerprint/Password/Smart living App/
Induction/Key



PH-LA-ASW1 1.535.000 VND

Power source: 2 AA batteries.
Smoke sensor sensitivity: 10% LEL II Grade.
Alarm speaker with built-in volume of 85Db.
Frequency: 433Mhz (Fixcode).
Transmission distance: 30 - 100m (open environment).
There is a test button on the sensor.
Operating temperature -10°C - +50°C.
Optimal humidity: <95%.



PH-LA-ARW1 1.548.000 VND

Operating voltage: DC12V (12V27A battery)
Operating current: 10mA
Transmission frequency: 433MHz
Key : 2
Distance: 20-50m (ventilated area)
Encoding: fixed code (2260,2262,2264)
Anti-vibration: 4.7M
Size: 50*38*10mm
Black case Material: Plastic



PH-LA-AMW1 1.678.000 VND

Power source: 9V battery
Rest current: ≤10mA
Frequency: 433MHz
Detection speed: 0.3-3 m/s
Detection distance: 1.2-12m
Scanning angle: horizontal 110°, vertical 60°
Operating temperature: -10 ~ 40°C

NOVA elements glass



94224-IC - AHD1080 3.750.000 VND

Wide-Angle AHD1080P/2MP/call panel
With IR Cut, Angle 148°
With Night vision, infrared LED 5PCS
Waterproof IP65
Support Set intercom Volume
Suitable for different electronic lock
Aluminum Alloy Case
Support switch signal from 1080P-720P-CVBS



PH-LA-AGW1 1.678.000 VND

Power source: 2 AA batteries.
Smoke sensor sensitivity: 10% LEL II Grade.
Alarm speaker with built-in volume of 85Db.
Frequency: 433Mhz (Fixcode).
Transmission distance: 30 - 100m
Operating temperature is about -10°C - +50°C.
Optimal humidity: <95%.
Weight: 100g.



D 95.6511.19 NA 520.000 VND

Voltage: 220-240V, 50/60Hz
Output: Incandescent lamp: 2000W
Fluorescent lamp: 600W LED lamp: 300W
Detection area: 360°
3m Time: 10±5s to 40±5 min adjustable sens
adjustable Lux: From daylight to night adjustable IP44
Plastics: PC - Box: 10 pcs - Carton: 100 pcs
Size: 86mm x 86mm



LS 1000R 1.750.000 VND

Dimensions: φ106mm*57mm
Voltage: 220-240V, 50/60Hz
Output: Incandescent lamp: 2000W
Fluorescent lamp: 600W LED lamp: 300W
Detection area: 360°
14m Time: 10±5s to 40±5 min adjustable sens
adjustable Lux: From daylight to night adjustable IP44
Plastics: PC - Box: 1 pcs - Carton: 10 pcs



CD-PH01 700.000 VND

Frequency: 433Mhz±0.5Mhz
Operating voltage (host): AC 85V/260V
Operating voltage (transmitter): 12V 23A *1
Working range (open space): 200m
Music selection: 52 harmonious ringtones
Volume selection: 4 levels adjustable (including mute)
Plastics: PC - Box: 1 pcs - Carton: 10 pcs



CD-PH02 1.400.000 VND

Frequency: 433Mhz±0.5Mhz
Operating voltage (host): AC 85V/260V
Operating voltage (transmitter): 12V 23A *1
Working range (open space): 200m
Music selection: 52 harmonious ringtones
Volume selection: 4 levels adjustable (including mute)
Plastics: PC - Box: 1 pcs - Carton: 10 pcs



PH-AL021 769.000 VND

Dimensions: 73*121*81 mm
Voltage: 220-240V, 50/60Hz
Output: Incandescent lamp: 1000W; Fluorescent lamp:
300W LED lamp: 150W
Detection area: 100°
12m Time: 10±5s to 4±5 min adjustable sens
adjustable Lux: From daylight to night adjustable IP44



PH-RS8H 678.000 VND

Dimensions: 58*150*82mm
Voltage: 220-240V, 50/60Hz
Output: Incandescent lamp: 1000W; Fluorescent lamp:
300W LED lamp: 150W
Detection area: 240°
12m Time: 10±5s to 4±5 min adjustable sens
adjustable Lux: From daylight to night adjustable IP44



PH-AO15S RC 3.675.000 VND

Rated Voltage: 120-277VAC 50/60Hz
Stand-by Power: <1.0W
Load Capacity: 400W (Inductive/LED) 800W (resistive)
Detecting Technology: Movement / minor motion / breathing
Working Mode: On-off
Operating Frequency: 5.8 GHz ±75 MHz, ISM band
Transmitting Power: 0.5mW Max.
Hold Time: 5S/30S/1Min/3Min/5Min/10Min/20Min/30Min
Detection Area: 100%/75%/50%/25%
Daylight Sensor: 5-150lux, Disable
Cut Size: Ø65-Ø75mm
Operating Temperature: -25-50°C
IP Rating: IP20



PH-AO25S 3.675.000 VND

Rated Voltage: 120-277VAC 50/60Hz
Stand-by Power: <1.0W
Load Capacity: 400W (Inductive/LED) 800W (resistive)
Detecting Technology: Movement / minor motion / breathing
Working Mode: On-off
Operating Frequency: 5.8 GHz ±75 MHz, ISM band
Transmitting Power: 0.5mW Max.
Hold Time: 5S/30S/1Min/3Min/5Min/10Min/20Min/30Min
Detection Area: 100%/75%/50%/25%
Daylight Sensor: 5-150lux, Disable
Cut Size: 110x110x32mm
Operating Temperature: -25-50°C
IP Rating: IP20